



US00D865291S

(12) **United States Design Patent** (10) **Patent No.:** **US D865,291 S**  
**Xiong** (45) **Date of Patent:** **\*\* Oct. 29, 2019**

- (54) **HAIR REMOVER**
- (71) Applicant: **Shasha Xiong**, Shenzhen (CN)
- (72) Inventor: **Shasha Xiong**, Shenzhen (CN)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/666,730**
- (22) Filed: **Oct. 16, 2018**
- (51) **LOC (12) Cl.** ..... **28-03**
- (52) **U.S. Cl.**  
USPC ..... **D28/50**
- (58) **Field of Classification Search**  
USPC ..... D28/49-54, 85-89  
CPC .... B26B 19/20-205; B26B 19/00-107; B26B  
19/12-18; B26B 19/22-24; B26B  
19/26-265; B26B 19/28-36; B26B  
19/38-48; A45D 40/06-065  
See application file for complete search history.

- 2011/0118733 A1\* 5/2011 Liu ..... A61B 18/1477  
606/42
- 2018/0353101 A1\* 12/2018 Ouwerkerk ..... A61B 5/068
- 2019/0133686 A1\* 5/2019 Tankovich ..... A61B 18/203

**OTHER PUBLICATIONS**

Facial hair remover for women, 1 page, downloaded Aug. 19, 2019  
<https://www.amazon.com/Facial-Remover-Painless-Removal-Waterproof/dp/B07KKCP3ZB> (Year: 2019).\*

\* cited by examiner

*Primary Examiner* — Jennifer Rivard

(57) **CLAIM**

The ornamental design for a hair remover, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a hair remover showing my new design;  
FIG. 2 is another perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a bottom plan view thereof; and,  
FIG. 9 is a perspective view of the hair remover in use state.  
The broken lines in the drawings are for the purpose of illustrating portions of the hair remover that form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,392,443 A \* 7/1968 Kawano ..... B26B 19/265  
30/34.1
- D216,383 S \* 12/1969 Fischer ..... D28/50
- D283,059 S \* 3/1986 Satoh ..... D28/50
- D305,806 S \* 1/1990 Fujisawa ..... D28/50
- D368,984 S \* 4/1996 Nakashima ..... D28/53
- D674,144 S \* 1/2013 Yamamoto ..... D28/46
- D834,254 S \* 11/2018 Khubani ..... D28/50
- D836,840 S \* 12/2018 Khubani ..... D28/50
- D841,246 S \* 2/2019 Stowers ..... D28/50
- D841,247 S \* 2/2019 Stowers ..... D28/50
- D841,887 S \* 2/2019 Stowers ..... D28/50






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9