US00D865320S

(12) United States Design Patent

Willows et al.

(10) Patent No.: US D865,320 S
(45) Date of Patent: ** Nov. 5, 2019

(54) **BELT**

(71) Applicant: **Amphipod, Inc.**, Seattle, WA (US)
(72) Inventors: **Keith S. Willows**, Seattle, WA (US); **June A. Angus**, Seattle, WA (US); **Antonio Del Rosario**, Bellevue, WA (US)
(73) Assignee: **AMPHIPOD, INC.**, Seattle, WA (US)

(**) Term: **15 Years**
(21) Appl. No.: **29/616,034**
(22) Filed: **Sep. 1, 2017**
(51) **LOC (12) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/629**; D2/894; D2/627; D3/226
(58) **Field of Classification Search**
USPC D2/623–629, 631, 633–640, 701, 706, D2/728, 851, 852, 853, 859, 860, 861, D2/891, 894; D11/200, 201, 212, 215, D11/216, 218, 220, 222, 231, 234, 78.1; D24/186, 190; D29/101.5, 101.1, 101.3; D30/152; D3/224, 226; D8/383, 395; D21/805; D9/457
CPC A41F 1/008; A41F 11/00; A41F 11/02; A41F 11/06; A41F 11/08; A41F 11/14; A41F 11/16; A41F 11/18; A41F 17/02; A41F 17/04; A41F 3/02; A41F 5/00; A41F 7/00; A41F 9/00; A41F 9/002; A41F 9/007; A41F 9/02; A41F 9/025; A41F 11/12; A41F 18/00; A41F 19/00; A41F 19/005; A41F 3/00; A62B 35/0006; A62B 35/00; A63B 29/02; B60R 2022/006; B60R 2022/008; B60R 22/00; B60R 22/10; A44B 99/00; A45F 2003/144; A41C 1/08; A41C 1/10; A61F 5/02; A61F 5/028
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

644,557	A *	2/1900	Koch	A41F 11/16	2/311
D32,602	S *	4/1900	Mehl	D2/627	
D32,806	S *	6/1900	Stember	D2/631	
D34,048	S *	2/1901	Ross	D2/627	
D35,766	S *	2/1902	Lewenthal	D2/637	
D35,824	S *	3/1902	Lehman	D2/627	
701,141	A *	5/1902	Brown	A41F 9/002	2/338
1,991,982	A *	2/1935	Hodges	A45D 8/00	2/174
2,413,318	A *	12/1946	Golfieri	A41D 25/00	2/207
2,994,090	A *	8/1961	Ostwald	A42C 5/02	2/182.1
3,119,117	A *	1/1964	Grubman	A41F 9/002	2/102
3,131,400	A *	5/1964	Blanchard	A42B 1/12	2/68
3,229,308	A *	1/1966	Jensen	A45D 8/36	2/209.3
4,520,510	A *	6/1985	Daigle	A61F 9/029	2/12
4,525,879	A *	7/1985	Kalomeris	A45C 1/04	2/247
4,634,031	A *	1/1987	Frankhouse	A45C 1/04	224/602
4,742,581	A *	5/1988	Rosenthal	A41D 20/005	2/170
5,060,316	A *	10/1991	Jepsen	A41D 23/00	2/338
5,083,318	A *	1/1992	Hook	A42B 1/041	2/174
5,291,616	A *	3/1994	Lamons	A41F 9/002	2/144
5,309,575	A *	5/1994	Lookhoof	A41F 9/002	2/312
5,377,360	A *	1/1995	Fleitman	A41D 20/00	2/171
D365,918	S *	1/1996	Izegbu	D2/875	
5,572,745	A *	11/1996	Mainus	A41D 20/005	2/171.2
D485,969	S *	2/2004	Wade	D2/894	
D523,213	S *	6/2006	Strong	D2/894	
D595,858	S *	7/2009	Kazel	D24/186	
D642,356	S *	8/2011	Wells	A41D 20/005	D2/627
D660,550	S *	5/2012	Palmer	A45D 8/36	D2/627
D685,484	S *	7/2013	Brambilla	A45D 8/00	D24/190
D688,851	S *	9/2013	Parker	A41D 23/00	D2/627



D714,019	S	*	9/2014	Griffiths	A41D 20/005 D2/624
D746,051	S	*	12/2015	Conway	D3/226
D766,430	S	*	9/2016	Cartmel	D24/128
D828,688	S	*	9/2018	Hogard	A42C 5/02 D3/226
D831,342	S	*	10/2018	Farkas	A61F 9/029 D3/226
2007/0084895	A1	*	4/2007	Bowen	A45C 1/04 224/660
2013/0061370	A1	*	3/2013	Ezell	A41D 23/00 2/207
2015/0004131	A1	*	1/2015	Milstein	G21F 3/025 424/85.2

* cited by examiner

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Clare Ann Gannon
(74) *Attorney, Agent, or Firm* — Lowe Graham Jones PLLC

(57) **CLAIM**

We claim the ornamental design for a belt, as shown and described.

DESCRIPTION

FIG. **1** is a front elevation view of the first embodiment of a belt, showing our new design.
FIG. **2** is a top plan view thereof.
FIG. **3** is a right side elevation view thereof.
FIG. **4** is a left side elevation view thereof.
FIG. **5** is a bottom plan view thereof.
FIG. **6** is a rear elevation view thereof.
FIG. **7** is a front perspective view thereof, shown with environment of use.
FIG. **8** is a rear perspective view thereof.
FIG. **9** is a front elevation view thereof, shown with different environment.
FIG. **10** is a top plan view thereof.
FIG. **11** is a right side elevation view thereof.
FIG. **12** is a left side elevation view thereof.
FIG. **13** is a bottom plan view thereof.
FIG. **14** is a rear elevation view thereof.
FIG. **15** is a front perspective view thereof, shown with environment of use.
FIG. **16** is a rear perspective view thereof.
FIG. **17** is a front elevation view thereof, shown with different environment.
FIG. **18** is a top plan view thereof.
FIG. **19** is a right side elevation view thereof.
FIG. **20** is a left side elevation view thereof.
FIG. **21** is a bottom plan view thereof.
FIG. **22** is a rear elevation view thereof.
FIG. **23** is a front perspective view thereof, shown with environment of use.
FIG. **24** is a rear perspective view thereof.
FIG. **25** is a front elevation view thereof.
FIG. **26** is a top plan view thereof.
FIG. **27** is a right side elevation view thereof.
FIG. **28** is a left side elevation view thereof.
FIG. **29** is a bottom plan view thereof.
FIG. **30** is a rear elevation view thereof.
FIG. **31** is a front perspective view thereof, shown with environment of use.
FIG. **32** is a rear perspective view thereof.
FIG. **33** is a front elevation view thereof.
FIG. **34** is a top plan view thereof.
FIG. **35** is a right side elevation view thereof.
FIG. **36** is a left side elevation view thereof.
FIG. **37** is a bottom plan view thereof.
FIG. **38** is a rear elevation view thereof.
FIG. **39** is a front perspective view thereof, shown with environment of use.
FIG. **40** is a rear perspective view thereof.
FIG. **41** is a front elevation view thereof.
FIG. **42** is a top plan view thereof.
FIG. **43** is a right side elevation view thereof.
FIG. **44** is a left side elevation view thereof.
FIG. **45** is a bottom plan view thereof.
FIG. **46** is a rear elevation view thereof.
FIG. **47** is a front perspective view thereof, shown with environment of use.
FIG. **48** is a rear perspective view thereof.
FIG. **49** is a front elevation view thereof.
FIG. **50** is a top plan view thereof.
FIG. **51** is a right side elevation view thereof.
FIG. **52** is a left side elevation view thereof.
FIG. **53** is a bottom plan view thereof.
FIG. **54** is a rear elevation view thereof.
FIG. **55** is a front perspective view thereof, shown with environment of use.
FIG. **56** is a rear perspective view thereof.
FIG. **57** is a front elevation view of a second embodiment of the belt.
FIG. **58** is a top plan view thereof.
FIG. **59** is a right side elevation view thereof.
FIG. **60** is a left side elevation view thereof.
FIG. **61** is a bottom plan view thereof.
FIG. **62** is a rear elevation view thereof.
FIG. **63** is a front perspective view thereof, shown with environment of use.
FIG. **64** is a rear perspective view thereof.
FIG. **65** is a front elevation view of the third embodiment of the belt.
FIG. **66** is a top plan view thereof.
FIG. **67** is a right side elevation view thereof.
FIG. **68** is a left side elevation view thereof.
FIG. **69** is a bottom plan view thereof.
FIG. **70** is a rear elevation view thereof.
FIG. **71** is a front perspective view thereof, shown with environment of use.
FIG. **72** is a rear perspective view thereof.
FIG. **73** is a front elevation view thereof.
FIG. **74** is a top plan view thereof.
FIG. **75** is a right side elevation view thereof.
FIG. **76** is a left side elevation view thereof.
FIG. **77** is a bottom plan view thereof.
FIG. **78** is a rear elevation view thereof.
FIG. **79** is a front perspective view thereof, shown with environment of use.
FIG. **80** is a rear perspective view thereof.
FIG. **81** is a front elevation view thereof.
FIG. **82** is a top plan view thereof.
FIG. **83** is a right side elevation view thereof.
FIG. **84** is a left side elevation view thereof.
FIG. **85** is a bottom plan view thereof.
FIG. **86** is a rear elevation view thereof.
FIG. **87** is a front perspective view thereof, shown with environment of use.
FIG. **88** is a rear perspective view thereof.

FIG. **89** is a front elevation view thereof.
FIG. **90** is a top plan view thereof.
FIG. **91** is a right side elevation view thereof.
FIG. **92** is a left side elevation view thereof.
FIG. **93** is a bottom plan view thereof.
FIG. **94** is a rear elevation view thereof.
FIG. **95** is a front perspective view thereof, shown with environment of use.
FIG. **96** is a rear perspective view thereof.
FIG. **97** is a front elevation view thereof.
FIG. **98** is a top plan view thereof.
FIG. **99** is a right side elevation view thereof.
FIG. **100** is a left side elevation view thereof.
FIG. **101** is a bottom plan view thereof.
FIG. **102** is a rear elevation view thereof.
FIG. **103** is a front perspective view thereof, shown with environment of use.
FIG. **104** is a rear perspective view thereof.
FIG. **105** is a front elevation view thereof.
FIG. **106** is a top plan view thereof.
FIG. **107** is a right side elevation view thereof.
FIG. **108** is a left side elevation view thereof.
FIG. **109** is a bottom plan view thereof.
FIG. **110** is a rear elevation view thereof.
FIG. **111** is a front perspective view thereof, shown with environment of use.
FIG. **112** is a rear perspective view thereof.
FIG. **113** is a front elevation view thereof.
FIG. **114** is a top plan view thereof.
FIG. **115** is a right side elevation view thereof.
FIG. **116** is a left side elevation view thereof.
FIG. **117** is a bottom plan view thereof.
FIG. **118** is a rear elevation view thereof.
FIG. **119** is a front perspective view thereof, shown with environment of use.
FIG. **120** is a rear perspective view thereof.
FIG. **121** is a front elevation view of fourth embodiment of the belt.
FIG. **122** is a top plan view thereof.
FIG. **123** is a right side elevation view thereof.
FIG. **124** is a left side elevation view thereof.
FIG. **125** is a bottom plan view thereof.
FIG. **126** is a rear elevation view thereof.
FIG. **127** is a front perspective view thereof, shown with environment of use; and,
FIG. **128** is a rear perspective view thereof.
The dot-dash broken lines depict portions of the article that form no part of the claimed design. All other broken lines depict environment that forms no part of the claimed design.

1 Claim, 48 Drawing Sheets

Fig. 2



Fig. 1



Fig. 3



Fig. 4

Fig. 5



Fig. 6



Fig. 7



Fig. 8

Fig. 10



Fig. 9



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16

Fig. 18



Fig. 17



Fig. 19



Fig. 20

Fig. 21



Fig. 22



Fig. 23



Fig. 24



Fig. 26



Fig. 25



Fig. 27



Fig. 28

Fig. 29



Fig. 30



Fig. 31



Fig. 32



Fig. 34

Fig. 33



Fig. 35



Fig. 36

Fig. 37



Fig. 38



Fig. 39



Fig. 40

Fig. 42



Fig. 41



Fig. 43



Fig. 44

Fig. 45



Fig. 46



Fig. 47



Fig. 48

Fig. 50



Fig. 49



Fig. 51



Fig. 52

Fig. 53



Fig. 54



Fig. 55



Fig. 56



Fig. 58



Fig. 57



Fig. 59



Fig. 60



Fig. 61



Fig. 62



Fig. 63



Fig. 64



Fig. 66



Fig. 65



Fig. 67



Fig. 68



Fig. 69



Fig. 70



Fig. 71



Fig. 72

Fig. 74



Fig. 73



Fig. 75



Fig. 76

Fig. 77

Fig. 78



Fig. 79



Fig. 80

Fig. 82



Fig. 81



Fig. 83



Fig. 84

Fig. 85



Fig. 86



Fig. 87



Fig. 88



Fig. 90



Fig. 89



Fig. 91



Fig. 92



Fig. 93



Fig. 94



Fig. 95



Fig. 96

Fig. 98



Fig. 97



Fig. 99



Fig. 100



Fig. 101



Fig. 102



Fig. 103



Fig. 104



Fig. 106



Fig. 105



Fig. 107



Fig. 108

Fig. 109



Fig. 110



Fig. 111



Fig. 112

Fig. 114



Fig. 113



Fig. 115



Fig. 116

Fig. 117



Fig. 118



Fig. 119



Fig. 120

Fig. 122



Fig. 121



Fig. 123



Fig. 124



Fig. 125



Fig.126



Fig. 127



Fig. 128