



US00D865372S

(12) **United States Design Patent** (10) **Patent No.:** **US D865,372 S**
Sholeen (45) **Date of Patent:** **** Nov. 5, 2019**

(54) **PAINT APPLICATOR PROTECTOR WITH GUSSET**

(71) Applicant: **Derek Sholeen**, Dallas, TX (US)

(72) Inventor: **Derek Sholeen**, Dallas, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/651,020**

(22) Filed: **Oct. 24, 2017**

(51) **LOC (12) Cl.** **04-99**

(52) **U.S. Cl.**
USPC **D4/199**

(58) **Field of Classification Search**
USPC D3/228, 269, 300; D4/199; D9/702,
D9/711, 712; 15/246, 247; 150/161;
206/15.3, 284, 361, 362.2, 362.3, 362.4;
428/34.3

CPC .. A46B 17/04; A46B 2200/202; B65D 25/105
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D285,146 S *	8/1986	Abellira	D4/122
5,178,274 A *	1/1993	Long	B44D 3/125
				15/257.06
5,966,902 A *	10/1999	Korycki	B65D 75/22
				206/209
D598,658 S *	8/2009	Peppard	D4/199
8,226,316 B2 *	7/2012	Laursen	A01M 29/12
				401/196
D702,409 S *	4/2014	Machacs	D32/60
D796,279 S *	9/2017	Barina	D8/1

2003/0188980 A1 *	10/2003	Myers	B44D 3/125
				206/361
2004/0188276 A1 *	9/2004	Petrehn	B05C 17/0245
				206/15.3
2007/0295626 A1 *	12/2007	Mowe	B65D 81/261
				206/361

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Grable Martin Fulton
PLLC; Spencer C. Patterson


(57) **CLAIM**

The ornamental design for a paint applicator protector with gusset, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a paint applicator protector showing my new design;
FIG. 2 is a top plan view, including the environmental structure of a paint roller, with the bottom plan view being substantially a mirror thereof; and,
FIG. 3 is a top plan view thereof, including the environmental structure of a paint roller, showing the paint applicator protector in a closed position.
My paint applicator protector is characterized by a clear sheath narrowing from an open end to a closed end with a gusset, with a cord threaded through a casing at the open end and a lock on the cord.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3