



US00D865503S

(12) **United States Design Patent**  
**Zhuang**

(10) **Patent No.:** **US D865,503 S**

(45) **Date of Patent:** **\*\* Nov. 5, 2019**

(54) **CONNECTOR**

(71) Applicant: **Min Zhuang**, Nanjing (CN)

(72) Inventor: **Min Zhuang**, Nanjing (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/658,988**

(22) Filed: **Aug. 3, 2018**

(51) **LOC (12) Cl.** ..... **08-08**

(52) **U.S. Cl.**  
USPC ..... **D8/382**; D6/708.16

(58) **Field of Classification Search**  
USPC ..... D8/349, 354, 355, 374, 382, 394, 499;  
D6/334, 335, 702, 710, 708.16, 708  
CPC .... A47C 1/14; A47C 4/00; A47C 4/04; A47C  
4/08; A47C 4/18; A47C 4/28; A47C  
4/283; A47C 4/286; A47C 4/32; A47C  
4/42; A47C 4/30; A47C 4/38; A47C  
4/022; A47C 4/20; A47C 4/22; A47C  
5/04; A47C 5/12; A47C 7/00; A47C 9/10;  
A47C 9/105; A47B 3/12; A47B 3/14  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,381,845	A *	6/1921	Kolchinsky	.....	A47C 4/38 248/155.5
1,440,248	A *	12/1922	Shoemaker	.....	A47C 4/42 297/51
D157,593	S *	3/1950	Hollaender	.....	D8/382
2,845,317	A *	7/1958	Orman	.....	A47B 3/12 248/164
2,905,263	A *	9/1959	Andersson	.....	A47B 3/14 182/154
3,237,576	A *	3/1966	Mordechay	.....	A47C 4/48 108/128
3,445,129	A *	5/1969	Penote	.....	E04G 7/02 403/174

4,073,484	A *	2/1978	Beekenkamp	.....	B25H 1/04 108/118
4,595,232	A *	6/1986	Glenn	.....	A47C 4/38 297/17
4,605,261	A *	8/1986	Lee	.....	A47C 4/286 297/16.1
D355,737	S *	2/1995	Breen	.....	D32/58
5,709,428	A *	1/1998	Hughhins	.....	A47C 4/283 135/127
5,975,626	A *	11/1999	Aycock	.....	A47C 9/105 297/16.1
6,997,507	B2 *	2/2006	Rhee	.....	A47C 4/48 224/153
D593,759	S *	6/2009	Oliphant	.....	A47C 4/286 D6/335
8,528,291	B2 *	9/2013	Allred, III	.....	E04C 3/08 135/909

(Continued)

*Primary Examiner* — Sandra S Snapp

*Assistant Examiner* — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Chun-Ming Shih



(57) **CLAIM**

The ornamental design for a connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a connector showing the new design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a right side elevational view thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof; and,  
 FIG. 8 is a perspective view showing the connector used for a chair.  
 The broken lines showing of the chair in FIG. 8 illustrates the environment of the claimed design and forms no part thereof.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D706,049 S \* 6/2014 Yang ..... D6/368  
8,894,139 B1 \* 11/2014 Coffey ..... A47C 4/286  
297/45  
D737,532 S \* 8/2015 Oh ..... D32/58  
D756,195 S \* 5/2016 Shadley ..... D8/323  
D846,975 S \* 4/2019 Arcot ..... D8/382  
D848,828 S \* 5/2019 Zhu ..... D8/382  
D854,914 S \* 7/2019 Diez ..... D8/354  
2003/0052518 A1 \* 3/2003 Zheng ..... A47C 4/286  
297/16.2  
2007/0228780 A1 \* 10/2007 Grace ..... A47C 4/283  
297/45  
2009/0102248 A1 \* 4/2009 Grace ..... A47C 4/283  
297/16.2  
2010/0171342 A1 \* 7/2010 Chen ..... A47C 4/283  
297/45  
2010/0295338 A1 \* 11/2010 Crowe ..... A47C 4/286  
297/161  
2014/0265186 A1 \* 9/2014 Witzel ..... B62B 1/008  
280/35  
2018/0303240 A1 \* 10/2018 Kim ..... A47C 4/02

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8