



US00D865503S

(12) **United States Design Patent**
Zhuang

(10) **Patent No.:** **US D865,503 S**

(45) **Date of Patent:** **** Nov. 5, 2019**

(54) **CONNECTOR**

(71) Applicant: **Min Zhuang**, Nanjing (CN)

(72) Inventor: **Min Zhuang**, Nanjing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/658,988**

(22) Filed: **Aug. 3, 2018**

(51) **LOC (12) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**; D6/708.16

(58) **Field of Classification Search**
USPC D8/349, 354, 355, 374, 382, 394, 499;
D6/334, 335, 702, 710, 708.16, 708
CPC A47C 1/14; A47C 4/00; A47C 4/04; A47C
4/08; A47C 4/18; A47C 4/28; A47C
4/283; A47C 4/286; A47C 4/32; A47C
4/42; A47C 4/30; A47C 4/38; A47C
4/022; A47C 4/20; A47C 4/22; A47C
5/04; A47C 5/12; A47C 7/00; A47C 9/10;
A47C 9/105; A47B 3/12; A47B 3/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,381,845	A *	6/1921	Kolchinsky	A47C 4/38 248/155.5
1,440,248	A *	12/1922	Shoemaker	A47C 4/42 297/51
D157,593	S *	3/1950	Hollaender	D8/382
2,845,317	A *	7/1958	Orman	A47B 3/12 248/164
2,905,263	A *	9/1959	Andersson	A47B 3/14 182/154
3,237,576	A *	3/1966	Mordechay	A47C 4/48 108/128
3,445,129	A *	5/1969	Penote	E04G 7/02 403/174

4,073,484	A *	2/1978	Beekenkamp	B25H 1/04 108/118
4,595,232	A *	6/1986	Glenn	A47C 4/38 297/17
4,605,261	A *	8/1986	Lee	A47C 4/286 297/16.1
D355,737	S *	2/1995	Breen	D32/58
5,709,428	A *	1/1998	Hughhins	A47C 4/283 135/127
5,975,626	A *	11/1999	Aycock	A47C 9/105 297/16.1
6,997,507	B2 *	2/2006	Rhee	A47C 4/48 224/153
D593,759	S *	6/2009	Oliphant	A47C 4/286 D6/335
8,528,291	B2 *	9/2013	Allred, III	E04C 3/08 135/909

(Continued)

Primary Examiner — Sandra S Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Chun-Ming Shih

(57) **CLAIM**

The ornamental design for a connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a connector showing the new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;



FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a perspective view showing the connector used for a chair.

The broken lines showing of the chair in FIG. 8 illustrates the environment of the claimed design and forms no part thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D706,049	S *	6/2014	Yang	D6/368
8,894,139	B1 *	11/2014	Coffey	A47C 4/286 297/45
D737,532	S *	8/2015	Oh	D32/58
D756,195	S *	5/2016	Shadley	D8/323
D846,975	S *	4/2019	Arcot	D8/382
D848,828	S *	5/2019	Zhu	D8/382
D854,914	S *	7/2019	Diez	D8/354
2003/0052518	A1 *	3/2003	Zheng	A47C 4/286 297/16.2
2007/0228780	A1 *	10/2007	Grace	A47C 4/283 297/45
2009/0102248	A1 *	4/2009	Grace	A47C 4/283 297/16.2
2010/0171342	A1 *	7/2010	Chen	A47C 4/283 297/45
2010/0295338	A1 *	11/2010	Crowe	A47C 4/286 297/161
2014/0265186	A1 *	9/2014	Witzel	B62B 1/008 280/35
2018/0303240	A1 *	10/2018	Kim	A47C 4/02

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8