



US00D865917S

(12) **United States Design Patent** (10) **Patent No.:** **US D865,917 S**
Naber (45) **Date of Patent:** **** Nov. 5, 2019**

(54) **PIPE FITTING**

(71) Applicant: **Naber Holding GmbH & Co. KG**,
Nordhorn (DE)

(72) Inventor: **Joachim Naber**, Nordhorn (DE)

(73) Assignee: **Naber Holding GmbH & Co. KG**
(DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,539**

(22) Filed: **Mar. 7, 2018**

(30) **Foreign Application Priority Data**

Sep. 14, 2017 (EP) 004353555

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**

USPC **D23/259**

(58) **Field of Classification Search**

USPC D23/259, 262–263, 265–266, 267,
D23/393–394; D24/129; 285/132.1,
285/133.11, 179, 179.1, 179.2, 125.1, 23,
285/122.1, 123.15, 123.16, 124.1, 124.5,
285/136.1, 226, 183, 397, 423–424;
D25/121–125; 454/241, 243, 261–265,
454/267–268, 359, 903; 138/37–44, 109,
138/111, 115–117, 121, 156, 162–163,
138/166–168, 173; 52/220.3, 220.8, 16;
D32/25

CPC F16L 43/001; F16L 43/002; F16L 43/008;
F16L 21/005; F16L 21/002; F16L 21/08;
F16L 21/06; F16L 21/04; F16L 9/22;
F16L 9/16; F16L 9/003; F16L 37/0985;
F16L 55/07; F16L 43/00; F16L 27/11;
F16L

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,920,271 A * 11/1975 Bluestone F16L 43/001
285/148.22
4,741,562 A * 5/1988 McGregor F16L 39/00
285/124.5

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Polsinelli PC


(57) **CLAIM**

The ornamental design for a pipe fitting, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the pipe fitting;
FIG. 2 is a rear perspective view of the pipe fitting;
FIG. 3 is a front view of the pipe fitting;
FIG. 4 is a rear view of the pipe fitting;
FIG. 5 is a right side view of the pipe fitting;
FIG. 6 is a left side view of the pipe fitting;
FIG. 7 is a top view of the pipe fitting;
FIG. 8 is a bottom view of the pipe fitting;
FIG. 9 is a perspective view of the pipe fitting in an extended configuration;
FIG. 10 is a rear perspective view of the pipe fitting in the extended configuration;
FIG. 11 is a front view of the pipe fitting in the extended configuration;
FIG. 12 is a rear view of the pipe fitting in the extended configuration;
FIG. 13 is a right side view of the pipe fitting in the extended configuration;
FIG. 14 is a left side view of the pipe fitting in the extended configuration;
FIG. 15 is a top view of the pipe fitting in the extended configuration; and,
FIG. 16 is a bottom view of the pipe fitting in the extended configuration.

1 Claim, 12 Drawing Sheets



(58) **Field of Classification Search**

CPC 55/027; F16L 5/00; F16K 15/03; F16K
43/001; F16K 43/003

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,230,418	B1 *	5/2001	Gomulinski	D06F 58/04 285/181
6,273,145	B1 *	8/2001	Botting	F16L 43/00 138/156
D657,041	S *	4/2012	Bull	D23/393
8,201,369	B2 *	6/2012	Coughlin	F16L 5/00 285/179
D724,704	S *	3/2015	Douglass, III	D23/266
2009/0058078	A1 *	3/2009	Knudson	F16L 9/22 285/136.1
2010/0307628	A1 *	12/2010	Rowan	F16L 9/003 138/149
2011/0173897	A1 *	7/2011	Schneider	E04D 13/08 52/16
2017/0146166	A1 *	5/2017	Surjaatmadja	F16L 23/003
2018/0299046	A1 *	10/2018	Sessa	F16L 21/035
2018/0328617	A1 *	11/2018	Naber	F16L 9/16

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16