



US00D865955S

(12) **United States Design Patent** (10) **Patent No.:** **US D865,955 S**
Nishiyama et al. (45) **Date of Patent:** **** Nov. 5, 2019**

- (54) **CUFF CONNECTOR**
- (71) Applicant: **OMRON HEALTHCARE Co., Ltd.**,
Muko-shi, Kyoto (JP)
- (72) Inventors: **Kengo Nishiyama**, Muko (JP);
Tsuyoshi Ogihara, Muko (JP);
Yoshikazu Inami, Muko (JP); **Asa**
Hirasawa, Muko (JP); **Shuji Tsuruta**,
Ibaraki (JP)
- (73) Assignee: **OMRON HEALTHCARE Co., Ltd.**,
Kyoto (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/649,363**
- (22) Filed: **May 29, 2018**
- (30) **Foreign Application Priority Data**
Dec. 1, 2017 (JP) 2017-026878
- (51) **LOC (12) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/129**
- (58) **Field of Classification Search**
USPC D24/127-131, 112-114, 133, 186;
606/181, 185; 604/264, 523-528, 272,
604/187, 158, 164.01-164.11, 181, 184,
604/227; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC .. A61M 25/065; A61M 5/42; A61M 25/0612;
A61M 25/00; A61M 39/00; A61M 27/00;
A61M 25/0043; A61M 25/0067; A61M
25/0097; A61F 2/958
See application file for complete search history.
- (56) **References Cited**
U.S. PATENT DOCUMENTS
8,246,605 B2 * 8/2012 Valaie A61M 25/00
604/533
D737,436 S * 8/2015 Lev D24/129

- 9,238,130 B2 * 1/2016 Mouri A61M 39/10
- D818,580 S * 5/2018 Khabiri D24/128
- D820,980 S * 6/2018 Maurice D24/129
- 10,016,587 B2 * 7/2018 Gardner A61M 39/20
- D825,737 S * 8/2018 Yokoyama D24/108
- D830,523 S * 10/2018 Vranish D23/262
- D830,524 S * 10/2018 Vranish D23/262
- D834,712 S * 11/2018 Gulliver D24/129
- D838,350 S * 1/2019 Downs F16L 37/0841
D23/262
- D838,363 S * 1/2019 Katagiri D24/127
- D842,462 S * 3/2019 Guala D24/129

* cited by examiner

Primary Examiner — David G Muller

(74) Attorney, Agent, or Firm — Capitol City TechLaw

(57) **CLAIM**

The ornamental design for a cuff connector, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right side perspective view of a cuff connector showing our new design;
 FIG. 2 is a rear, bottom, and left side perspective view thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a top view thereof;
 FIG. 6 is a bottom view thereof;
 FIG. 7 is a right side view thereof; and,
 FIG. 8 is a left side view thereof.
 The broken lines shown in FIGS. 1, 2, 3, and 6 are included for the purpose of illustrating portions of the cuff connector that form no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1



FIG.2



FIG.3



FIG.4



FIG.5



FIG.6



FIG. 7



FIG.8

