



US00D866060S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,060 S**
Hennen et al. (45) **Date of Patent:** **** Nov. 5, 2019**

- (54) **ASHTRAY**
- (71) Applicant: **Nicholas M. Hennen**, Lakeville, MN (US)
- (72) Inventors: **Nicholas M. Hennen**, Lakeville, MN (US); **John T. Wells**, Inver Grove Heights, MN (US)
- (73) Assignee: **Nicholas M. Hennen**, Lakeville, MN (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/676,115**
- (22) Filed: **Jan. 8, 2019**

Related U.S. Application Data

- (62) Division of application No. 29/607,654, filed on Jun. 15, 2017, now Pat. No. Des. 843,051.
- (51) **LOC (12) Cl.** **27-03**
- (52) **U.S. Cl.**
USPC **D27/106**
- (58) **Field of Classification Search**
USPC D27/106, 105, 119, 108, 102, 113, 136, D27/137, 138; 131/329, 174, 175
CPC A24F 19/00; A24F 19/10; A24F 19/105; A24F 15/00; A24F 15/02; A24F 15/08; B44C 5/06
- See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 2,428,133 A * 9/1947 Yogan G09F 19/02 206/822
- D280,555 S * 9/1985 Grube D27/133
- 4,698,732 A 10/1987 Hickey
- D302,050 S 7/1989 Ingrisani
- 5,115,821 A 5/1992 Grooms, Jr.

- D345,621 S * 3/1994 McLaughlin, II D11/121
- D351,779 S * 10/1994 Allison D21/659
- 5,397,609 A * 3/1995 Chapman A41G 1/005 156/61
- 5,491,007 A 2/1996 Chapman
- D391,154 S 2/1998 Kramer
- D395,097 S * 6/1998 Barton D27/135
- 5,811,160 A * 9/1998 Chapman A41G 1/005 428/17
- D402,399 S * 12/1998 Fowler D27/135
- D413,833 S 9/1999 Hollinger
- 5,984,754 A 11/1999 Freeland
- D432,712 S 10/2000 Perrier
- 6,224,234 B1 * 5/2001 Demmery A45C 15/06 362/154
- D454,936 S * 3/2002 Catelli D21/816
- D510,157 S * 9/2005 Haywood D27/114
- D515,729 S 2/2006 Haywood
- D525,837 S * 8/2006 Orozco D11/125
- 7,237,922 B2 7/2007 Cayton
- D559,727 S * 1/2008 Garrison D11/117
- D623,555 S 9/2010 Reithlingshoefer et al.

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Rebecca Tsehaye
(74) *Attorney, Agent, or Firm* — Kinney & Lange, P.A.


(57) **CLAIM**

The ornamental design for an ashtray, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ashtray with a face;
FIG. 2 is another perspective view of the ashtray, showing a bottom of the ashtray;
FIG. 3 is a perspective view of the ashtray from FIG. 1 rotated one-hundred and eighty degrees;
FIG. 4 is a front elevational view of the ashtray;
FIG. 5 is a top plan view of the ashtray; and,
FIG. 6 is a bottom plan view of the ashtray.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D671,009	S	*	11/2012	Sanders	D9/617
8,496,346	B2		7/2013	Zinox		
9,181,023	B2		11/2015	Clinton		
D780,992	S		3/2017	Lozier		
D819,883	S		6/2018	Shotwell		
D839,129	S	*	1/2019	Gill	D11/125
D843,051	S	*	3/2019	Hennen	D27/105
2003/0156415	A1		8/2003	Blatherwick		
2003/0210555	A1		11/2003	Cicero et al.		

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6