



US00D866202S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,202 S**  
**Pos** (45) **Date of Patent:** **\*\* Nov. 12, 2019**

(54) **CHILD SAFETY SEATS FOR MOTOR CARS**

(71) Applicant: **CYBEX GmbH**, Bayreuth (DE)

(72) Inventor: **Martin Pos**, Bayreuth (DE)

(73) Assignee: **Cybex GmbH**, Bayreuth (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/627,517**

(22) Filed: **Nov. 28, 2017**

**Related U.S. Application Data**

(62) Division of application No. 35/500,694, filed on Sep. 9, 2015 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Sep. 9, 2015, now Pat. No. Des. 804,832.

(30) **Foreign Application Priority Data**

Mar. 9, 2015 (EM) ..... 002649053

(51) **LOC (12) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/333**

(58) **Field of Classification Search**  
USPC ..... D6/334-335  
CPC .... A47C 1/00; A47C 3/00; A47C 7/00; A47C 7/02; A47C 7/24; A47D 13/02; A47D 13/025; B60N 2/26; B60N 2/265; B60N 2/28; B60N 2/2821; B60N 2/2845; B60N 2/2851; B60N 2/278; B60N 2/30; B60N 2/42

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,922,147 B1 \* 7/2005 Viksnins ..... B60N 2/002 340/573.1  
D534,362 S 1/2007 Batchelor

8,388,058 B2 3/2013 Krasley  
D690,120 S 9/2013 Goldberg  
D744,248 S 12/2015 Pos  
D746,072 S 12/2015 Haley  
D764,816 S 8/2016 Santamaria  
D796,855 S \* 9/2017 Imrich ..... B60N 2/90 D6/333  
D825,207 S \* 8/2018 Imrich ..... B60N 2/28 D6/333  
D845,654 S \* 4/2019 Imrich ..... B60N 2/2863 D6/333  
2013/0062916 A1 \* 3/2013 Wiley ..... B60N 2/28 297/216.11  
2013/0328368 A1 12/2013 Allen  
(Continued)

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, S.C.

(57) **CLAIM**


The ornamental design for a child safety seat for motor cars, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a child safety seat for motorcars in accordance with my new design;  
FIG. 2 is a side perspective view of a first side of the child safety seat of FIG. 1;  
FIG. 3 is a side perspective view of a second side of the child safety seat of FIG. 1;  
FIG. 4 is a rear perspective view of the child safety seat of FIG. 1;  
FIG. 5 is a front perspective view of the child safety seat of FIG. 1;  
FIG. 6 is a top perspective view of the child safety seat of FIG. 1; and,  
FIG. 7 is a bottom plan view of the child safety seat of FIG. 1.

In the drawings, the broken lines represent portions of the article that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2014/0021758 A1 1/2014 Chen  
2016/0280100 A1\* 9/2016 Scheppegrell ..... B60N 2/90  
2016/0362046 A1\* 12/2016 Gordon ..... B60Q 9/00  
2016/0375804 A1 12/2016 Mason et al.  
2017/0120783 A1\* 5/2017 Denbo ..... B60N 2/2863

\* cited by examiner




Fig. 1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6






Fig.7