



US00D866291S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,291 S**  
**Morstatt et al.** (45) **Date of Patent:** **\*\* Nov. 12, 2019**

(54) **TRIM RING LOCK** 7,091,429 B2 \* 8/2006 Case ..... E05B 15/02  
 200/314  
 (71) Applicant: **Yale Security Inc.**, Monroe, NC (US) D552,967 S \* 10/2007 Roberts ..... D8/330  
 D570,188 S \* 6/2008 Luo ..... D8/330  
 (72) Inventors: **Scott Morstatt**, New Haven, CT (US); D576,016 S \* 9/2008 Min ..... D8/330  
**Garrett Lovejoy**, New Haven, CT D595,109 S \* 6/2009 Doucet ..... D8/330  
 (US); **Jason Williams**, New Haven, CT D666,074 S \* 8/2012 Genord ..... D8/330  
 (US); **Jennifer Avgerinos**, New Haven, D673,153 S \* 12/2012 Bousfield ..... D14/385  
 CT (US) D736,590 S \* 8/2015 Roberts, III ..... D8/330  
 D737,661 S \* 9/2015 Chan ..... D8/330  
 D755,605 S \* 5/2016 Kraus ..... D8/331  
 D768,463 S \* 10/2016 Kraus ..... D8/330  
 (73) Assignee: **ASSA ABLOY RESIDENTIAL** D779,919 S \* 2/2017 Shargh ..... D8/330  
**GROUP, INC.**, New Haven, CT (US) D781,130 S \* 3/2017 Shargh ..... D8/330  
 D783,384 S \* 4/2017 Shargh ..... D8/330  
 (\*\*) Term: **15 Years** D790,956 S \* 7/2017 Hetfield ..... D8/330  
 D791,577 S \* 7/2017 Hetfield ..... D8/330  
 D818,345 S \* 5/2018 Morstatt ..... D8/330

(Continued)

*Primary Examiner* — John Windmuller  
*Assistant Examiner* — Steven J Czyz  
 (74) *Attorney, Agent, or Firm* — DeLio Peterson & Curcio LLC; Thomas E. Ciesco

**Related U.S. Application Data**

(62) Division of application No. 29/585,432, filed on Nov. 23, 2016, now Pat. No. Des. 818,345.  
 (51) **LOC (12) Cl.** ..... **08-07**  
 (52) **U.S. Cl.**  
 USPC ..... **D8/330**  
 (58) **Field of Classification Search**  
 USPC ..... D8/330, 331, 336, 339, 341, 342, 343,  
 D8/344, 346, 350  
 CPC ..... E05B 17/00; E05B 47/00; E05B 47/0001;  
 E05B 47/06; E05B 49/00; E05B 55/00;  
 E05B 63/00; E05B 65/00  
 See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

D271,374 S \* 11/1983 Butts ..... D8/353  
 6,145,353 A \* 11/2000 Doucet ..... E05B 47/0692  
 70/149  
 6,733,050 B1 \* 5/2004 Yao ..... E05B 63/044  
 292/137  
 D502,859 S \* 3/2005 Peng ..... D8/331


(57) **CLAIM**

The ornamental design for a “trim ring lock”, as shown and described.

**DESCRIPTION**

FIG. 1 is a right, front, top perspective view of a trim ring lock according to our invention;  
 FIG. 2 is a front elevation view thereof;  
 FIG. 3 is a rear elevation view thereof;  
 FIG. 4 is a right side elevation view thereof;  
 FIG. 5 is a left side elevation view thereof;  
 FIG. 6 is a bottom elevation view thereof; and,  
 FIG. 7 is a top elevation view thereof.  
 The broken lines depict portions of the article that form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D818,797	S	*	5/2018	Morstatt	.....	D8/334
D832,077	S	*	10/2018	Gokcebay	.....	D8/331
D835,970	S	*	12/2018	Morstatt	.....	D8/331
D837,029	S	*	1/2019	Cavanna	.....	D8/331
D837,030	S	*	1/2019	Cavanna	.....	D8/331
D837,629	S	*	1/2019	Cavanna	.....	D8/331
D837,630	S	*	1/2019	Cavanna	.....	D8/331
D844,411	S	*	4/2019	Griswold	.....	D8/331
D844,414	S	*	4/2019	Leites	.....	D8/353
10,323,437	B2	*	6/2019	Hallett	.....	E05B 63/08

\* cited by examiner




FIG. 3




FIG. 2




FIG. 1




FIG. 4




FIG. 5

FIG. 6



FIG. 7

