



US00D866311S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,311 S**
Ito (45) **Date of Patent:** **** Nov. 12, 2019**

(54) **PACKAGING FOR BATTERIES**
(71) Applicant: **FDK CORPORATION**, Tokyo (JP)
(72) Inventor: **Takuro Ito**, Tokyo (JP)
(73) Assignee: **FDK CORPORATION**, Tokyo (JP)
(**) Term: **15 Years**
(21) Appl. No.: **35/504,762**
(22) Filed: **Oct. 17, 2017**
(80) **Hague Agreement Data**
Int. Filing Date: **Oct. 17, 2017**
Int. Reg. No.: **DM/098350**
Int. Reg. Date: **Oct. 17, 2017**
Int. Reg. Pub. Date: **Apr. 20, 2018**

(30) **Foreign Application Priority Data**
Apr. 18, 2017 (JP) 2017-008316
(51) **LOC (12) Cl.** **09-03**
(52) **U.S. Cl.**
USPC **D9/416**
(58) **Field of Classification Search**
USPC D9/414, 415, 416, 418-425, 432,
D9/434-436, 455, 499, 702, 710, 718,
D9/722, 756
CPC B65D 75/36; B65D 75/305; B65D 75/366;
B65D 75/5844; B65D 75/5833; B65D
17/12; B65D 17/24; B65D 21/0202;
B65D 11/10; B65D 43/12
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D390,108 S * 2/1998 Landis D9/415
D546,679 S * 7/2007 El-Afandi D9/416
D548,074 S * 8/2007 El-Afandi D9/416

7,717,319 B2 * 5/2010 Adam B65D 5/0254
229/102
D644,925 S * 9/2011 Jaworski D9/423
D668,140 S * 10/2012 Collins D9/423
D699,561 S * 2/2014 Buchanan D9/416
D736,618 S * 8/2015 Andre D9/432
D758,181 S * 6/2016 Lutz D9/416
D778,149 S * 2/2017 Frick D9/416
D793,224 S * 8/2017 Sagardoy Muniesa D9/416
D801,803 S * 11/2017 Mitten D9/416
D811,873 S * 3/2018 Turner D9/432
D819,439 S * 6/2018 Young D9/420
D820,672 S * 6/2018 Gray D9/416
D824,758 S * 8/2018 Baldino B65D 71/36
D9/416
D826,707 S * 8/2018 Sanfilippo D9/416
D829,092 S * 9/2018 Bandiera D9/416
D830,199 S * 10/2018 Ogata D9/734
D834,937 S * 12/2018 McKenzie D9/432
2011/0233106 A1 * 9/2011 Fluegel B65D 77/062
206/526


(Continued)

Primary Examiner — Melanie H Tung
Assistant Examiner — Bao-Yen T Nguyen
(74) *Attorney, Agent, or Firm* — Kinney & Lange, P.A.

(57) **CLAIM**
The ornamental design for packaging for batteries, as shown and described.

DESCRIPTION
1. Packaging for batteries
1.1 : Front
1.2 : Back
1.3 : Left
1.4 : Top
1.5 : Bottom
1.6 : Perspective
1.7 : Perspective
The right view is the same as the left view; a spacer for fixing the batteries is stored into the packaging body; at the end of the spacer, there is a circular cutout.

1 Claim, 5 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS


2013/0319886 A1 * 12/2013 Ledermann B65D 85/1045
206/264

* cited by examiner

1.1




1.2




1.3




1.4



1.5



1.6



1.7

