



US00D866498S

(12) **United States Design Patent**
Mercer

(10) **Patent No.:** **US D866,498 S**

(45) **Date of Patent:** **** Nov. 12, 2019**

(54) **MOBILE DEVICE WITH AN INTEGRATED HAZARDOUS CONDITION DETECTION SYSTEM**

(71) Applicant: **Ben Mercer**, Kansas City, MO (US)

(72) Inventor: **Ben Mercer**, Kansas City, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/668,777**

(22) Filed: **Nov. 1, 2018**

Related U.S. Application Data

(63) Continuation-in-part of application No. 16/146,321, filed on Sep. 28, 2018, now Pat. No. 10,257,330.

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 G**; D10/47; D10/81; D10/106.3; D14/138 R

(58) **Field of Classification Search**

USPC D14/138 G, 138 AD, 341, 138 R, 203.3, D14/203.7, 248, 191, 250, 144, 159; 455/575.1, 556.2; D21/517, 329; 361/679.3, 679.56; D10/106.2, 106.3, 47, D10/81

CPC . G06F 1/1626; H04M 1/0266; H04M 1/0202; H04M 1/026; H04M 1/0206

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D256,567 S * 8/1980 Voss D10/81
- D265,299 S * 7/1982 Jaretsky D10/106.1
- D286,298 S * 10/1986 May D10/47
- 4,633,232 A * 12/1986 Nelson G08B 13/08
200/61.67
- 4,646,157 A * 2/1987 Wakai H04N 5/64
348/729
- D477,587 S * 7/2003 Richardson D14/191

- D490,789 S * 6/2004 Watanabe D14/138 R
- D500,257 S * 12/2004 Hutchison D10/78
- D503,642 S * 4/2005 Hutchison D10/78
- D522,987 S * 6/2006 Oe D14/138 AB
- D530,698 S * 10/2006 Lee D14/138 G
- D541,296 S * 4/2007 Kim D14/496
- D545,814 S * 7/2007 Wilson D14/248
- D588,574 S * 3/2009 Takahata D14/159
- D595,260 S * 6/2009 Takahata D14/159
- D637,174 S * 5/2011 Elkerbout D14/159
- D653,640 S * 2/2012 Kwon D14/138 G
- D670,280 S * 11/2012 Rayner D14/250
- D694,732 S * 12/2013 Lee D14/138 G
- D726,174 S * 4/2015 Wahlin D14/250
- D727,762 S * 4/2015 Kisner D10/78
- D727,763 S * 4/2015 Nothacker D10/81
- D731,473 S * 6/2015 Akana D14/250
- D733,673 S * 7/2015 Zhu D14/137

(Continued)

Primary Examiner — Jeffrey D Asch



(57) **CLAIM**

The ornamental design for a mobile device with an integrated hazardous condition detection system, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a mobile device with an integrated hazardous condition detection system; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right-side elevation view thereof; FIG. 5 is a left-side elevation view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is an exploded perspective view thereof; and, FIG. 9 is a rear exploded perspective view thereof. The broken lines show portions of the mobile device that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D740,266 S * 10/2015 Kim D14/248
D762,640 S * 8/2016 Yamazaki D14/341
D764,957 S * 8/2016 Bhattacharya D10/104.1
D770,411 S * 11/2016 Zhang D14/138 G
D772,190 S * 11/2016 Cheng D14/138 G
D773,448 S * 12/2016 Armillotti D14/250
D784,948 S * 4/2017 Brown, III D14/138 G
D800,086 S * 10/2017 Scherr D14/154
D800,087 S * 10/2017 Shanes D14/159
D803,207 S * 11/2017 Karis D14/250
D810,063 S * 2/2018 Yoo D14/250
D811,359 S * 2/2018 Burke D14/138 AA
D813,855 S * 3/2018 Chang D14/250
D815,631 S * 4/2018 Kim D14/341
D822,065 S * 7/2018 Kang D14/496
D838,201 S * 1/2019 Laird D10/104.1
10,257,330 B1 * 4/2019 Mercer H04M 1/0206
10,368,457 B2 * 7/2019 Pakula G02B 7/02
10,377,000 B2 * 8/2019 Siahaan B23P 15/26
10,386,891 B2 * 8/2019 Allen F16M 13/02
2015/0080064 A1 * 3/2015 Park H04B 1/3888
455/575.1
2015/0296065 A1 * 10/2015 Narita H04M 1/64
455/556.2
2016/0113136 A1 * 4/2016 Shin G06F 1/1626
361/679.01
2017/0064869 A1 * 3/2017 Siahaan B23P 15/26
2019/0260863 A1 * 8/2019 Kinouchi H04M 1/0264

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9