



US00D86669S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,669 S**  
**Pollack** (45) **Date of Patent:** **\*\* Nov. 12, 2019**

(54) **SIX-SIDED DIE**  
(71) Applicant: **Jordan B. Pollack**, Sudbury, MA (US)  
(72) Inventor: **Jordan B. Pollack**, Sudbury, MA (US)  
(73) Assignee: **Jordan B. Pollack**, Sudbury, MA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/645,134**  
(22) Filed: **Apr. 24, 2018**  
(51) **LOC (12) Cl.** ..... **21-01**  
(52) **U.S. Cl.**  
USPC ..... **D21/373**  
(58) **Field of Classification Search**  
USPC ..... D21/373, 385, 346, 372, 492, 659, 340,  
D21/341, 347, 370, 371; 434/200;  
273/145 CA, 146, 248, 399, 142 E,  
273/145 D, 243, 236; 463/47, 22;  
D19/9; D9/715; 428/13  
CPC ..... A63F 9/0406; A63F 9/04; A63F 3/00006;  
A63F 3/00; A63F 3/00895; A63F 7/048;  
A63F 9/0402; A63F 9/0413; A63F  
11/0011; A63F 9/0415; A63F 9/0468;  
G07F 17/32; G07F 17/34; G07F 17/3262;  
G07F 17/326; G07F 17/3202  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,467,382 A \* 9/1969 Leadley ..... A63F 1/18  
116/223  
D254,558 S \* 3/1980 Rice ..... D21/373  
D262,725 S \* 1/1982 Rice ..... D21/373  
D262,726 S \* 1/1982 Rice ..... D21/373  
4,314,698 A \* 2/1982 Van Dolah ..... A63F 9/0098  
273/146  
D268,851 S \* 5/1983 Mack ..... D21/373  
D269,983 S \* 8/1983 Lapadura ..... D21/373  
D304,208 S \* 10/1989 Loftus ..... D21/373

5,405,145 A \* 4/1995 Jones ..... A63F 9/0402  
273/146  
5,601,289 A \* 2/1997 Hollister ..... A63F 3/00697  
273/241  
6,193,233 B1 \* 2/2001 Lipman ..... A63F 3/00041  
273/138.1  
D453,196 S \* 1/2002 Bouchet ..... D21/373  
D489,418 S \* 5/2004 Helton, Sr. .... D21/373  
D517,612 S \* 3/2006 Bowling ..... D21/373  
D540,883 S \* 4/2007 Mackenzie ..... D21/373

(Continued)

*Primary Examiner* — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Ascentage Patent Law,  
LLC; Travis Lee Johnson


(57) **CLAIM**

The ornamental design for a six-sided die, as shown and described herein.

**DESCRIPTION**

FIG. 1 is a top right front perspective view of a six-sided die in accordance with the claimed invention;  
FIG. 2 is an opposing rear left bottom perspective view of the six-sided die of FIG. 1 in accordance with the claimed invention;  
FIG. 3 is a front view of the six-sided die of FIG. 1 in accordance with the claimed invention;  
FIG. 4 is a left view of the six-sided die of FIG. 1 in accordance with the claimed invention;  
FIG. 5 is a right view of the six-sided die of FIG. 1 in accordance with the claimed invention;  
FIG. 6 is a back view of the six-sided die of FIG. 1 in accordance with the claimed invention;  
FIG. 7 is a top view of the six-sided die of FIG. 1 in accordance with the claimed invention; and,  
FIG. 8 is a bottom view of the six-sided die of FIG. 1 in accordance with the claimed invention.  
The broken lines depict portions of the six-sided die which form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D553,694 S	*	10/2007	Oharenko .....	D21/373
D561,842 S	*	2/2008	Bowling .....	D21/373
D579,057 S	*	10/2008	Arms .....	D21/373
D605,976 S	*	12/2009	Beier .....	D11/184
D608,840 S	*	1/2010	Crutchfield .....	D21/373
D695,350 S	*	12/2013	Doleshal .....	D20/99
D720,018 S	*	12/2014	Murphy .....	D21/351
D745,930 S	*	12/2015	Tirupati .....	D21/373
D745,931 S	*	12/2015	Tirupati .....	D21/373
D746,381 S	*	12/2015	Tirupati .....	D21/373
D825,667 S	*	8/2018	Snyder .....	D21/373

\* cited by examiner




FIG. 1




FIG. 2





FIG. 3



FIG. 4



FIG. 5




FIG. 6






FIG. 7



FIG. 8