

US00D86669S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,669 S**
Pollack (45) **Date of Patent:** **** Nov. 12, 2019**

(54) **SIX-SIDED DIE**
(71) Applicant: **Jordan B. Pollack**, Sudbury, MA (US)
(72) Inventor: **Jordan B. Pollack**, Sudbury, MA (US)
(73) Assignee: **Jordan B. Pollack**, Sudbury, MA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/645,134**
(22) Filed: **Apr. 24, 2018**
(51) **LOC (12) Cl.** **21-01**
(52) **U.S. Cl.**
USPC **D21/373**
(58) **Field of Classification Search**
USPC D21/373, 385, 346, 372, 492, 659, 340,
D21/341, 347, 370, 371; 434/200;
273/145 CA, 146, 248, 399, 142 E,
273/145 D, 243, 236; 463/47, 22;
D19/9; D9/715; 428/13
CPC A63F 9/0406; A63F 9/04; A63F 3/00006;
A63F 3/00; A63F 3/00895; A63F 7/048;
A63F 9/0402; A63F 9/0413; A63F
11/0011; A63F 9/0415; A63F 9/0468;
G07F 17/32; G07F 17/34; G07F 17/3262;
G07F 17/326; G07F 17/3202
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,467,382 A * 9/1969 Leadley A63F 1/18
116/223
D254,558 S * 3/1980 Rice D21/373
D262,725 S * 1/1982 Rice D21/373
D262,726 S * 1/1982 Rice D21/373
4,314,698 A * 2/1982 Van Dolah A63F 9/0098
273/146
D268,851 S * 5/1983 Mack D21/373
D269,983 S * 8/1983 Lapadura D21/373
D304,208 S * 10/1989 Loftus D21/373

5,405,145 A * 4/1995 Jones A63F 9/0402
273/146
5,601,289 A * 2/1997 Hollister A63F 3/00697
273/241
6,193,233 B1 * 2/2001 Lipman A63F 3/00041
273/138.1
D453,196 S * 1/2002 Bouchet D21/373
D489,418 S * 5/2004 Helton, Sr. D21/373
D517,612 S * 3/2006 Bowling D21/373
D540,883 S * 4/2007 Mackenzie D21/373

(Continued)

Primary Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Ascentage Patent Law,
LLC; Travis Lee Johnson


(57) **CLAIM**

The ornamental design for a six-sided die, as shown and described herein.

DESCRIPTION

FIG. 1 is a top right front perspective view of a six-sided die in accordance with the claimed invention;
FIG. 2 is an opposing rear left bottom perspective view of the six-sided die of FIG. 1 in accordance with the claimed invention;
FIG. 3 is a front view of the six-sided die of FIG. 1 in accordance with the claimed invention;
FIG. 4 is a left view of the six-sided die of FIG. 1 in accordance with the claimed invention;
FIG. 5 is a right view of the six-sided die of FIG. 1 in accordance with the claimed invention;
FIG. 6 is a back view of the six-sided die of FIG. 1 in accordance with the claimed invention;
FIG. 7 is a top view of the six-sided die of FIG. 1 in accordance with the claimed invention; and,
FIG. 8 is a bottom view of the six-sided die of FIG. 1 in accordance with the claimed invention.
The broken lines depict portions of the six-sided die which form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D553,694 S	*	10/2007	Oharenko	D21/373
D561,842 S	*	2/2008	Bowling	D21/373
D579,057 S	*	10/2008	Arms	D21/373
D605,976 S	*	12/2009	Beier	D11/184
D608,840 S	*	1/2010	Crutchfield	D21/373
D695,350 S	*	12/2013	Doleshal	D20/99
D720,018 S	*	12/2014	Murphy	D21/351
D745,930 S	*	12/2015	Tirupati	D21/373
D745,931 S	*	12/2015	Tirupati	D21/373
D746,381 S	*	12/2015	Tirupati	D21/373
D825,667 S	*	8/2018	Snyder	D21/373

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8