

US00D866752S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,752 S**
Rogge et al. (45) **Date of Patent:** **** Nov. 12, 2019**

(54) **INJECTION DEVICE**

(71) Applicant: **Sanofi**, Paris (FR)

(72) Inventors: **Christian Rogge**, München (DE);
Philipp Oster, München (DE); **Carolyn Frontzek**, München (DE); **James Collins**, Bridgewater, NJ (US); **Alex Zuyev**, Frankfurt am Main (DE); **Kai Scheinert**, Frankfurt am Main (DE);
Uwe Dasbach, Frankfurt am Main (DE)

(73) Assignee: **Sanofi**, Paris (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/648,581**

(22) Filed: **May 22, 2018**

(51) **LOC (12) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/113**

(58) **Field of Classification Search**
USPC D24/112–114, 133, 186, 127–131;
606/181, 185; 604/264, 272, 115, 232,
604/187, 158, 164.08, 192, 263, 163, 181,
604/184, 198, 227; 600/101, 139, 143;
128/200.24, 207.14, 207.15;
D19/115–123, 177, 193
CPC A61M 5/3156; A61M 5/31591; A61M
5/3155; A61M 5/3157; A61M 5/24;
A61M 5/31501; A61M 5/31551; A61M
5/31585; A61M 2005/2407; A61M
2005/2492; A61M 2205/581; A61M
2205/582

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D622,374	S	*	8/2010	Julian	D24/113
D624,238	S	*	9/2010	Turner	D24/133
D627,061	S	*	11/2010	Van der Stappen	D24/113
D629,509	S	*	12/2010	Julian	D24/113
D676,957	S	*	2/2013	Schneider	D24/113
D758,568	S	*	6/2016	Wohlfahrt	D24/113
D758,570	S	*	6/2016	Wohlfahrt	D24/113
D759,814	S	*	6/2016	Newman	D24/130
D810,281	S	*	2/2018	Holmqvist	D24/112
9,943,649	B2	*	4/2018	Shang	A61M 5/2033
2013/0211330	A1	*	8/2013	Pedersen	A61M 5/2033 604/111
2016/0151586	A1	*	6/2016	Kemp	A61M 5/3158 604/198
2018/0339109	A1	*	11/2018	Halseth	A61M 5/20

* cited by examiner

Primary Examiner — David G Muller

Assistant Examiner — Nathan M Johnston

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for an injection device, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an injection device showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a first side elevation view thereof;
FIG. 5 is a second side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines illustrate boundaries that form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D866,752 S
APPLICATION NO. : 29/648581
DATED : November 12, 2019
INVENTOR(S) : Christian Rogge et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


On the Title Page

Item (30), add:

-- (30) **Foreign Application Priority Data**

Nov. 23, 2017 (EM)004520054 --

Signed and Sealed this
Thirteenth Day of October, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office