



US00D866814S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,814 S**  
**Tanaka et al.** (45) **Date of Patent:** **\*\* Nov. 12, 2019**

(54) **LAMP**

(71) Applicant: **KANEKA CORPORATION**,  
Osaka-shi, Osaka (JP)

(72) Inventors: **Michiru Tanaka**, New York, NY (US);  
**Akane Nakabayashi**, New York, NY  
(US); **Naoko Jonoo**, Tokyo (JP); **Ko  
Fujisawa**, Tokyo (JP)

(73) Assignee: **KANEKA CORPORATION**,  
Osaka-shi, Osaka (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/626,787**

(22) Filed: **Nov. 20, 2017**

(30) **Foreign Application Priority Data**

May 24, 2017 (JP) ..... 2017-11068

(51) **LOC (12) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/24**

(58) **Field of Classification Search**  
USPC .... D26/1, 24, 28, 88, 93, 94, 106, 110, 118,  
D26/120; D6/300, 309  
CPC .... F21S 6/00; F21S 6/002; F21V 3/00; F21W  
2121/00; F21W 2131/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D566,974 S \* 4/2008 Lee ..... D6/300  
D601,815 S \* 10/2009 Demcher ..... D6/309  
D622,970 S \* 9/2010 Tang ..... D6/300  
D631,565 S \* 1/2011 Egawa ..... D26/1

D631,566 S \* 1/2011 Egawa ..... D26/1  
D687,230 S \* 8/2013 Smith ..... D6/300  
D705,957 S \* 5/2014 Lin ..... D26/1  
D801,575 S \* 10/2017 Chung ..... D26/120  
D807,058 S \* 1/2018 Gilad ..... D6/309  
D841,990 S \* 3/2019 Liimatainen-Jokinen ..... D6/300

\* cited by examiner

*Primary Examiner* — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Alleman Hall Creasman  
& Tuttle LLP

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of a light-emitting lamp;  
FIG. 2 is a rear elevational view of the lamp of FIG. 1.  
FIG. 3 is a plan view of the lamp of FIG. 1.  
FIG. 4 is a bottom view of the lamp of FIG. 1.  
FIG. 5 is a right side elevational view of the lamp of FIG.  
1

FIG. 6 is a left side elevational view of the lamp of FIG. 1.  
FIG. 7 is a perspective view of the lamp of FIG. 1.  
FIG. 8 is a cross-sectional view of the lamp of FIG. 1, taken  
along a line 8-8; and,  
FIG. 9 is a front elevational view of the lamp of FIG. 1 when  
a light source thereof is turned on.

Our design features a lamp that has a planar light source,  
denoted by first oblique line shading, and a decorative  
member, denoted by second oblique line shading. The light  
source emits light when turned on, and this emissive state is  
denoted by stippling in FIG. 9. The light source exhibits  
specular gloss when turned off. The decorative member also  
exhibits specular gloss. An opening in the shape of a  
quarter-circle is formed in the front of the decorative mem-  
ber to display the light source.

**1 Claim, 7 Drawing Sheets**






FIG. 1






FIG. 2



*FIG. 3*



*FIG. 4*



FIG. 5



FIG. 6





FIG. 7



*FIG. 8*




FIG. 9