

US00D866814S

(12) **United States Design Patent**
Tanaka et al.

(10) **Patent No.:** **US D866,814 S**

(45) **Date of Patent:** **** Nov. 12, 2019**

(54) **LAMP**

(71) Applicant: **KANEKA CORPORATION**,
Osaka-shi, Osaka (JP)

(72) Inventors: **Michiru Tanaka**, New York, NY (US);
Akane Nakabayashi, New York, NY
(US); **Naoko Jonoo**, Tokyo (JP); **Ko
Fujisawa**, Tokyo (JP)

(73) Assignee: **KANEKA CORPORATION**,
Osaka-shi, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/626,787**

(22) Filed: **Nov. 20, 2017**

(30) **Foreign Application Priority Data**

May 24, 2017 (JP) 2017-11068

(51) **LOC (12) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/24**

(58) **Field of Classification Search**
USPC D26/1, 24, 28, 88, 93, 94, 106, 110, 118,
D26/120; D6/300, 309
CPC F21S 6/00; F21S 6/002; F21V 3/00; F21W
2121/00; F21W 2131/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D566,974 S * 4/2008 Lee D6/300
D601,815 S * 10/2009 Demcher D6/309
D622,970 S * 9/2010 Tang D6/300
D631,565 S * 1/2011 Egawa D26/1

D631,566 S * 1/2011 Egawa D26/1
D687,230 S * 8/2013 Smith D6/300
D705,957 S * 5/2014 Lin D26/1
D801,575 S * 10/2017 Chung D26/120
D807,058 S * 1/2018 Gilad D6/309
D841,990 S * 3/2019 Liimatainen-Jokinen D6/300

* cited by examiner

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Alleman Hall Creasman
& Tuttle LLP

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a light-emitting lamp;
FIG. 2 is a rear elevational view of the lamp of FIG. 1.
FIG. 3 is a plan view of the lamp of FIG. 1.
FIG. 4 is a bottom view of the lamp of FIG. 1.
FIG. 5 is a right side elevational view of the lamp of FIG.
1


FIG. 6 is a left side elevational view of the lamp of FIG. 1.
FIG. 7 is a perspective view of the lamp of FIG. 1.

FIG. 8 is a cross-sectional view of the lamp of FIG. 1, taken
along a line 8-8; and,

FIG. 9 is a front elevational view of the lamp of FIG. 1 when
a light source thereof is turned on.

Our design features a lamp that has a planar light source,
denoted by first oblique line shading, and a decorative
member, denoted by second oblique line shading. The light
source emits light when turned on, and this emissive state is
denoted by stippling in FIG. 9. The light source exhibits
specular gloss when turned off. The decorative member also
exhibits specular gloss. An opening in the shape of a
quarter-circle is formed in the front of the decorative mem-
ber to display the light source.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9