



US00D866880S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,880 S**
Steinkraus (45) **Date of Patent:** **** Nov. 12, 2019**

- (54) **DISK** D219,284 S 11/1970 Hunt
- (71) Applicant: **Gramercy Products, Inc.**, Secaucus, NJ (US) 3,633,538 A 1/1972 Hoeflin
- (72) Inventor: **William Steinkraus**, Fort Lee, NJ (US) 3,889,950 A 6/1975 Kasravi
- (73) Assignee: **Gramercy Products, Inc.**, Secaucus, NJ (US) 3,968,074 A 7/1976 Schwarze
- (**) Term: **15 Years** 4,002,893 A 1/1977 Newcomb
- (21) Appl. No.: **29/643,177** 4,006,908 A 2/1977 Minami
- (22) Filed: **Apr. 5, 2018** 4,026,645 A * 5/1977 Bown G03B 23/06
206/565
- 4,031,655 A 6/1977 Ponciano et al.
- 4,063,382 A * 12/1977 McCallum A63B 67/06
273/336
- 4,065,873 A * 1/1978 Jones A63H 27/12
244/17.11
- 4,113,829 A 9/1978 Bowker
- 4,152,863 A 5/1979 Kubiatowicz
- 4,204,357 A 5/1980 Harrington
- 4,297,809 A 11/1981 Branson
- 4,302,901 A 12/1981 Psyras
- D263,429 S 3/1982 Larrieu
- D268,039 S 2/1983 Osborne
- D272,751 S 2/1984 Brackmann

Related U.S. Application Data

- (62) Division of application No. 29/601,095, filed on Apr. 19, 2017.
- (51) **LOC (12) Cl.** **30-99**
- (52) **U.S. Cl.**
USPC **D30/160**
- (58) **Field of Classification Search**
USPC D30/160; D21/144, 362, 390, 443, 707,
D21/713, 715; D1/211; 119/702,
119/706-714; 112/440, 470.35; 473/273,
473/451, 600, 613, 598; 446/46, 48
CPC A01K 15/00; A01K 15/02; A01K 15/025;
A01K 29/00; A63B 37/02
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 1,877,673 A 9/1932 Law
- 2,098,395 A 11/1937 Law
- 2,304,190 A 12/1942 Milner
- RE23,176 E 11/1949 Milner
- 2,867,425 A 1/1959 Teller
- 3,046,016 A 7/1962 Laws

Primary Examiner — Sandra S Snapp
Assistant Examiner — Mehri F Bajoul
(74) *Attorney, Agent, or Firm* — Thomas A. O'Rourke;
Bodner & O'Rourke, LLP


(Continued)

(57) **CLAIM**
The ornamental design for a disk, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a disk showing the new design;
FIG. 2 is top view thereof;
FIG. 3 is a bottom view thereof; and,
FIG. 4 is a side view of the disk thereof, taken along line 4-4 within FIG. 2. The views of the disk rotated 60 or 120 degrees from FIG. 4 are identical.
The broken lines in FIG. 3 depict portions of the disk that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,044	S	5/2016	Anderson	
D763,969	S	8/2016	Jeager	
D769,984	S	10/2016	Chen	
D778,370	S	2/2017	Moore	
D780,665	S *	3/2017	Blincow	D12/320
D782,751	S *	3/2017	Polk	D30/160
D811,020	S *	2/2018	Wills	D30/160
D813,315	S	3/2018	Sweeney	
D817,251	S *	5/2018	Kim	D12/325
2002/0111105	A1	8/2002	Silvergate	
2003/0184013	A1	10/2003	Chodosh	
2003/0232565	A1	12/2003	Silvergate	
2004/0083983	A1	5/2004	Markham	
2004/0089245	A1	5/2004	Markham	
2004/0107431	A1 *	6/2004	Wilcoxson	A63H 33/18 720/718
2004/0166764	A1	8/2004	Stark	
2004/0259460	A1	12/2004	Persall	
2006/0073758	A1	4/2006	Goodwin	
2006/0141896	A1	6/2006	Owens	
2007/0026758	A1 *	2/2007	Renforth	A01K 15/025 446/46
2007/0072508	A1 *	3/2007	Hsu	A63H 33/18 446/48
2007/0197318	A1 *	8/2007	Serrano	A63B 65/10 473/588
2009/0176436	A1	7/2009	Stark	
2009/0199784	A1 *	8/2009	Oblack	A01K 15/025 119/707
2012/0204799	A1 *	8/2012	Desrosiers	A01K 5/0114 119/61.54

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4