

US00D866929S

(12) **United States Design Patent**  
**Kuerbis**

(10) **Patent No.:** **US D866,929 S**

(45) **Date of Patent:** **\*\* Nov. 19, 2019**

- (54) **SHOE**
- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventor: **Tate E. Kuerbis**, Portland, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/558,153**
- (22) Filed: **Mar. 15, 2016**
- (51) **LOC (12) Cl.** ..... **02-04**
- (52) **U.S. Cl.**  
USPC ..... **D2/902**; D2/969
- (58) **Field of Classification Search**  
USPC ..... D2/896, 902, 905, 906, 907, 908, 910,  
D2/911, 912, 943, 944, 945, 946, 947,  
D2/969, 972  
CPC .... A43B 1/00; A43B 1/10; A43B 1/12; A43B  
1/14; A43B 3/00; A43B 5/00; A43B  
5/001; A43B 5/002; A43B 5/003; A43B  
5/006; A43B 5/007; A43B 5/008; A43B  
5/02; A43B 5/06; A43B 5/08; A43B 5/10;  
A43B 5/14; A43B 13/00; A43B 13/04;  
A43B 23/00; A43B 23/021; A43B  
23/0215  
See application file for complete search history.

- D550,933 S \* 9/2007 Hulbert ..... D2/902
- D572,451 S 7/2008 Kuerbis
- D574,581 S \* 8/2008 Cooper ..... D2/902
- D576,380 S \* 9/2008 Morris ..... D2/902
- D576,381 S \* 9/2008 Weber ..... D2/902
- D633,708 S 3/2011 Hatfield et al.
- D651,391 S 1/2012 Mocos
- D657,941 S \* 4/2012 Bramani ..... D2/902
- D667,625 S 9/2012 Shaffer
- D670,070 S \* 11/2012 Della Valle ..... D2/908
- D680,712 S \* 4/2013 Della Valle ..... D2/908
- D680,713 S \* 4/2013 Della Valle ..... D2/908
- D682,530 S 5/2013 Wilken
- D702,930 S 4/2014 Rademacher
- D707,032 S 6/2014 Martin
- D707,950 S 7/2014 William, Jr.

(Continued)

**OTHER PUBLICATIONS**

Nike Footwear Catalog, 2012 Fall Jordan Footwear, p. 89, published Nov. 2011, NIKE, Inc., USA.

*Primary Examiner* — Elizabeth J Oswecki  
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a shoe, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a shoe showing my new design;

FIG. 2 is a side view thereof;

FIG. 3 is an opposite side view thereof;

FIG. 4 is a front view thereof; and,

FIG. 5 is a rear view thereof.

The broken line immediately adjacent to the bottom of the photographic area defines the peripheral bounds of the claimed design and forms no part thereof. The broken lines depicting the remainder of the shoe show features that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS

- D17,195 S 3/1887 Osborne
- D106,156 S 9/1937 Troy
- 4,302,892 A \* 12/1981 Adamik ..... A43B 13/188  
36/31
- 4,584,783 A \* 4/1986 Dobbin ..... A43C 1/00  
36/50.1
- D335,949 S 6/1993 Rogers
- D499,876 S 12/2004 Lozano
- D513,450 S 1/2006 Portzline
- D546,053 S 7/2007 Maiden



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D716,540 S	11/2014	Anceresi et al.	
D720,522 S	1/2015	Anceresi et al.	
D722,224 S	2/2015	Williams, Jr.	
D735,478 S	8/2015	Tulin	
D737,554 S *	9/2015	Della Valle .....	D2/944
D744,223 S	12/2015	Kirschner	
D751,797 S *	3/2016	Slimane .....	D2/908
D752,322 S *	3/2016	Tomat .....	D2/908
D769,603 S	10/2016	Mueller	
D774,287 S *	12/2016	Taestensen .....	D2/908
D801,664 S *	11/2017	Small .....	D2/969
2010/0275470 A1 *	11/2010	Hoffer .....	A43B 1/0009 36/3 R
2011/0072687 A1 *	3/2011	Bobbett .....	A43B 5/001 36/127
2013/0031805 A1 *	2/2013	Crowley, II .....	A43B 7/144 36/103

\* cited by examiner



FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5