

US00D866950S

(12) **United States Design Patent** (10) **Patent No.:** **US D866,950 S**  
**Schubert** (45) **Date of Patent:** **\*\* Nov. 19, 2019**

- (54) **NEEDLE**
- (71) Applicant: **Charles Bradley Schubert**, Oak Brook, IL (US)
- (72) Inventor: **Charles Bradley Schubert**, Oak Brook, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/572,356**
- (22) Filed: **Jul. 27, 2016**
- (51) **LOC (12) Cl.** ..... **03-04**
- (52) **U.S. Cl.**  
USPC ..... **D3/28**
- (58) **Field of Classification Search**  
USPC ... D3/5, 7, 8, 10, 11, 13, 14, 15, 16, 17, 18, D3/28; D2/896, 902; D10/71; D14/416  
CPC .... A45D 42/00; A45D 42/18; G05G 9/04788; A61B 1/24; D04B 3/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D54,688 S *	3/1920	Schoettel	66/117
2,258,925 A *	10/1941	Burg	D04B 17/04
			24/706
2,271,477 A *	1/1942	Davis	D04B 3/02
			264/162
D133,543 S *	8/1942	Megarry	66/117
2,341,403 A *	2/1944	Williams	E05B 17/106
			250/465.1
4,204,438 A	5/1980	Binaris et al.	
D297,887 S *	10/1988	Hattersley	D3/7
5,411,551 A	5/1995	Winston et al.	
5,496,304 A	3/1996	Chasan	
5,665,092 A	9/1997	Mangiardi et al.	
5,758,667 A	6/1998	Slettenmark	
6,091,980 A	7/2000	Squire et al.	
6,173,715 B1	1/2001	Sinanan et al.	

6,685,719 B2	2/2004	Matera, Jr. et al.	
6,711,429 B1	3/2004	Gilboa et al.	
6,972,022 B1	12/2005	Griffin	
D545,562 S *	7/2007	Feller	D3/28
D599,542 S *	9/2009	Hoffman	D3/28
8,920,379 B2	12/2014	Lee	
D735,469 S *	8/2015	Rastogi	D3/28
D735,470 S *	8/2015	Rastogi	D3/28
9,113,956 B2	8/2015	Ahmann et al.	
D739,136 S *	9/2015	Rastogi	D3/28
9,173,718 B2	11/2015	Kadykowski	
D782,181 S *	3/2017	Rastogi	D3/28

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 202086945 U 12/2011

*Primary Examiner* — Mark A Goodwin

*Assistant Examiner* — Benjamin M Weeks

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a needle, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom isometric view of an ornamental design for a first embodiment of a needle;

FIG. 2 is an elevational view of an end of the needle of FIG. 1;

FIG. 3 is a bottom isometric view of an ornamental design for a second embodiment of a needle;


FIG. 4 is an elevational view of an end of the needle of FIG. 3;

FIG. 5 is a bottom isometric view of an ornamental design for a third embodiment of a needle; and,

FIG. 6 is an elevational view of an end of the needle of FIG. 5.

The dashed lines are for the purpose of illustrating environmental structure and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2004/0253185 A1 12/2004 Herweck et al.  
2008/0287978 A1 11/2008 Hickman, III  
2010/0269837 A1 10/2010 Levinson et al.  
2011/0082487 A1 4/2011 Crockett  
2012/0029548 A1 2/2012 Giffey  
2013/0144256 A1 6/2013 Wessel et al.  
2014/0188074 A1 7/2014 Jacques et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6