

US00D867104S

(12) **United States Design Patent** (10) **Patent No.:** **US D867,104 S**
Morstatt et al. (45) **Date of Patent:** **** Nov. 19, 2019**

- (54) **TRIM RING LOCK**
- (71) Applicant: **Yale Security Inc.**, Monroe, NC (US)
- (72) Inventors: **Scott Morstatt**, New Haven, CT (US);
Garrett Lovejoy, New Haven, CT (US);
Jason Williams, New Haven, CT (US);
Jennifer Avgerinos, New Haven, CT (US)
- (73) Assignee: **ASSA ABLOY Residential Group, Inc.**, Monroe, NC (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/646,051**
- (22) Filed: **May 1, 2018**

D592,936 S *	5/2009	Douglas	D8/330
D593,399 S *	6/2009	Douglas	D8/330
D595,109 S *	6/2009	Doucet	D8/330
7,540,177 B1 *	6/2009	Luo	E05B 15/02 340/5.53
D597,821 S *	8/2009	Nunez	D8/330
D599,189 S *	9/2009	Nunez	D8/330
D601,002 S *	9/2009	Nunez	D8/330
D637,064 S *	5/2011	Singtoroj	D8/330
D637,472 S *	5/2011	Singtoroj	D8/330
D645,726 S *	9/2011	Lu	D8/330
D679,986 S *	4/2013	Hsieh	D8/330
D682,656 S *	5/2013	Cramer	D8/331
D682,659 S *	5/2013	Genord	D8/330
D683,205 S *	5/2013	Cramer	D8/331
D693,203 S *	11/2013	Mostert	D8/330
D693,205 S *	11/2013	Mostert	D8/330
D693,206 S *	11/2013	Mostert	D8/330
D693,667 S *	11/2013	Mostert	D8/330

(Continued)

Related U.S. Application Data

- (62) Division of application No. 29/585,432, filed on Nov. 23, 2016, now Pat. No. Des. 818,345.
- (51) **LOC (12) Cl.** **08-07**
- (52) **U.S. Cl.**
USPC **D8/330**
- (58) **Field of Classification Search**
USPC D8/330, 331, 336, 339, 341, 342, 343,
D8/344, 346, 350
CPC E05B 17/00; E05B 47/00; E05B 47/0001;
E05B 47/06; E05B 49/00; E05B 55/00;
E05B 63/00; E05B 65/00
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D393,793 S *	4/1998	Blanch	D8/341
D396,628 S *	8/1998	Blanch	D8/341
D552,968 S *	10/2007	Roberts	D8/330
D553,953 S *	10/2007	Roberts	D8/330
D591,138 S *	4/2009	Blanchette	D8/330

Primary Examiner — John Windmuller

Assistant Examiner — Steven J Czyz

(74) *Attorney, Agent, or Firm* — DeLio Peterson & Curcio LLC; Thomas E. Ciesco


(57) **CLAIM**

The ornamental design for a “trim ring lock”, as shown and described.

DESCRIPTION

FIG. 1 is a right, front, top perspective view of a trim ring lock according to our invention;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right side elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a bottom plan view thereof; and,
 FIG. 7 is a top plan view thereof.
 The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D694,093	S	*	11/2013	Mostert	D8/330
D722,260	S	*	2/2015	Warmenhoven	D8/330
D733,522	S	*	7/2015	Kim	D8/331
D735,016	S	*	7/2015	Kim	D8/331
D736,590	S	*	8/2015	Roberts, III	D8/330
D736,591	S	*	8/2015	Groleski	D8/330
D737,661	S	*	9/2015	Chan	D8/330
D756,196	S	*	5/2016	Huang	D8/330
D760,062	S	*	6/2016	Groleski	D8/331
D761,079	S	*	7/2016	Groleski	D8/331
9,406,181	B2	*	8/2016	Almomani G07C 9/00309	
D766,067	S	*	9/2016	Hyde	D8/330
D768,463	S	*	10/2016	Kraus	D8/330
D790,950	S	*	7/2017	Kraus	D8/330
D792,192	S	*	7/2017	Huang	D8/331
D812,448	S	*	3/2018	Schneider	D8/331
D818,797	S	*	5/2018	Morstatt	D8/334
D837,630	S	*	1/2019	Cavanna	D8/331
D837,631	S	*	1/2019	Han	D8/331

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

