



US00D867626S

(12) **United States Design Patent**  
**Song et al.**

(10) **Patent No.:** **US D867,626 S**  
(45) **Date of Patent:** **\*\* Nov. 19, 2019**

(54) **LED LIGHT CONTROL DEVICE**  
(71) Applicant: **Hymax, Inc.**, San Jose, CA (US)  
(72) Inventors: **Qianghua Song**, Nanjing (CN); **Su Zhang**, Nanjing (CN); **Jin Sun**, Nanjing (CN); **Lianghua Yang**, Campbell, CA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/645,805**  
(22) Filed: **Apr. 30, 2018**  
(51) **LOC (12) Cl.** ..... **26-03**  
(52) **U.S. Cl.**  
USPC ..... **D26/24**  
(58) **Field of Classification Search**  
USPC ..... D26/1, 24, 36, 40, 72, 81, 83, 118, 123, D26/124, 128, 137; D10/104.1, 114.1, D10/114.2, 106.1; D24/187  
CPC ..... F21V 1/00; F21V 1/02; F21V 1/04; F21V 1/14; F21V 3/00; F21V 3/02; F21V 5/00; F21V 5/002; F21V 15/00; F21V 15/01; F21V 15/02; F21V 21/02; F21K 9/23; F21K 9/232; F21K 9/237; F21S 9/022; F21S 9/024; F21S 6/00; F21S 6/002; F21S 8/02; F21S 8/03; F21S 8/04; F21S 8/003; F21S 8/033; F21S 8/036  
See application file for complete search history.

D647,227 S \* 10/2011 Kaule ..... D26/24  
D678,100 S \* 3/2013 Hwang ..... D10/114.1  
D684,269 S \* 6/2013 Wang ..... D24/209  
D727,552 S \* 4/2015 Stolte ..... D26/89  
D736,449 S \* 8/2015 Getty ..... D26/110  
D742,041 S \* 10/2015 Garcia ..... D26/110  
D759,877 S \* 6/2016 Hewitt ..... D26/89  
D764,079 S \* 8/2016 Wu ..... D26/24  
9,541,270 B2 \* 1/2017 Van Winkle ..... F21V 3/0625  
D786,112 S \* 5/2017 Kucala ..... D10/106.1  
D803,410 S \* 11/2017 Im ..... D24/187  
D810,952 S \* 2/2018 Hsu ..... D24/200  
D814,096 S \* 3/2018 Hewitt ..... D26/89  
9,970,647 B2 \* 5/2018 Kim ..... F21K 9/00  
2010/0172143 A1 \* 7/2010 Cunius ..... F21S 8/04  
362/373  
2017/0184260 A1 \* 6/2017 Munoz Abogabir ..... F21L 4/08

\* cited by examiner

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Clint A Samuel  
(74) *Attorney, Agent, or Firm* — Jigang Jin

(57) **CLAIM**


The ornamental design for a LED light control device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the LED light control device. FIG. 2 is a front view of the LED light control device. FIG. 3 is a back view of the LED light control device. FIG. 4 is a right side view of the LED light control device. FIG. 5 is a left side view of the LED light control device. FIG. 6 is a bottom side view of the LED light control device; and, FIG. 7 is a top side view of the LED light control device. The broken lines of the preceding figures are for purposes of illustrating unclaimed portions of the LED light control device and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D247,665 S \* 4/1978 Larsen ..... D10/106.1  
D426,250 S \* 6/2000 Lefkowitz ..... 396/427  
D481,822 S \* 11/2003 Wang ..... D26/72  
D549,385 S \* 8/2007 Lissoni ..... D26/89  
D583,967 S \* 12/2008 Leunis ..... D26/24  
D585,580 S \* 1/2009 Riffel ..... D26/72  
D633,231 S \* 2/2011 Morrison ..... D26/24






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7