



US00D867717S

(12) **United States Design Patent**  
**Chavez**

(10) **Patent No.:** **US D867,717 S**

(45) **Date of Patent:** **\*\* Nov. 26, 2019**

(54) **CRACKER**

(71) Applicant: **General Mills, Inc.**, Minneapolis, MN (US)

(72) Inventor: **Corinne M Chavez**, Danville, CA (US)

(73) Assignee: **General Mills, Inc.**, Minneapolis, MN (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/667,898**

(22) Filed: **Oct. 25, 2018**

(51) **LOC (12) Cl.** ..... **01-01**

(52) **U.S. Cl.**  
USPC ..... **D1/128**

(58) **Field of Classification Search**  
USPC ..... D1/100–130, 199; 426/5, 76, 87, 92, 94, 426/95, 99, 101, 103, 108, 138–139, 143, 426/144, 279, 282, 283, 391, 514, 549, 426/660, 72, 582; D13/100; D24/101–104; D28/8.1; 424/438, 440, 424/464, 470–472; 425/195; 34/296; D6/601; D10/108  
CPC .. A61K 9/2072; A61K 9/0004; A61K 9/2095; A61K 9/209  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D284,114 S \* 6/1986 Robson ..... D24/102  
D284,115 S \* 6/1986 Robson ..... D24/102

D286,450 S \* 10/1986 Tovey ..... D24/101  
D432,587 S \* 10/2000 Hertzano ..... D21/386  
D449,881 S \* 10/2001 Mock, Sr. .... D24/101  
D588,332 S \* 3/2009 Phelan ..... D1/120  
D685,436 S \* 7/2013 Menting ..... D21/386  
D748,240 S \* 1/2016 Goode ..... D24/101  
D748,241 S \* 1/2016 Goode ..... D24/102  
D782,646 S \* 3/2017 Goode ..... D24/102  
D783,799 S \* 4/2017 Goode ..... D24/102  
D783,800 S \* 4/2017 Goode ..... D24/102  
D783,801 S \* 4/2017 Goode ..... D24/102

\* cited by examiner

*Primary Examiner* — Katie Jane Stofko

(74) *Attorney, Agent, or Firm* — Diederiks & Whitelaw, PLC; Gregory P. Kaihoi, Esq.



(57) **CLAIM**

The ornamental design for a cracker, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of a cracker according to my design;  
FIG. 2 is a top plan view of the cracker;  
FIG. 3 is a bottom plan view of the cracker;  
FIG. 4 is a front elevational view of the cracker, with the cracker having a corresponding rear elevational view; and,  
FIG. 5 is a left side elevational view of the cracker, with the cracker having a corresponding right side elevational view.

**1 Claim, 4 Drawing Sheets**








FIG. 1






**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**