



US00D867774S

(12) **United States Design Patent**
De Vienne

(10) **Patent No.:** **US D867,774 S**

(45) **Date of Patent:** **** Nov. 26, 2019**

- (54) **SEAT FOR A VEHICLE**
- (71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (72) Inventor: **Laetitia De Vienne**, Coventry (GB)
- (73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/637,703**
- (22) Filed: **Feb. 21, 2018**

D616,212	S	*	5/2010	Rosenbohm	D6/356
D617,105	S	*	6/2010	Rosenbohm	D6/356
D650,187	S	*	12/2011	Nakaminami	D6/356
D653,866	S	*	2/2012	Wada	D6/356
D665,588	S	*	8/2012	Wada	D6/356
8,641,147	B2	*	2/2014	Diller	A61G 15/125 297/391
D771,398	S	*	11/2016	Buffery	D6/356
D799,225	S	*	10/2017	Callum	D6/356
D804,206	S	*	12/2017	Varga	D6/356
D805,312	S	*	12/2017	Varga	D6/356
D824,184	S	*	7/2018	Willis	D6/356
10,029,587	B2	*	7/2018	Hattori	B60N 2/0837
D839,012	S	*	1/2019	Hodder	D6/356
10,179,525	B2	*	1/2019	Arata	B60N 2/56
D841,351	S	*	2/2019	Bekas	D6/356
10,232,741	B2	*	3/2019	Takada	B60N 2/0228

* cited by examiner

(30) **Foreign Application Priority Data**

Aug. 31, 2017 (EM) 004174738

(51) **LOC (12) Cl.** **06-04**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**
USPC D6/356, 360, 364, 365; D21/521, 533,
D21/548

CPC A61H 2201/0149; B60N 2/06; B60N 2/20;
B60N 2/22; B60N 2/58; B60N 2/68;
B60N 2/80; B60N 2/643; B60N 2/888;
B60N 2/859; B60N 2/1615; B60N
2/7035; B60N 2/42745; B60N 2002/0272;
B60N 2205/35

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D460,279	S	*	7/2002	Moburg	D6/356
D536,545	S	*	2/2007	Young	D6/356
D576,413	S	*	9/2008	Arnaout	D6/356
D578,785	S	*	10/2008	Wyszogrod	D6/356
D592,413	S	*	5/2009	Higashida	D6/356
D614,878	S	*	5/2010	Higashida	D6/356

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a seat for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a seat for a vehicle according to the present invention.

FIG. 2 is a front left perspective view of the seat shown in FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof; and,

FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9