



US00D867925S

(12) **United States Design Patent** (10) **Patent No.:** **US D867,925 S**
Paul (45) **Date of Patent:** **** Nov. 26, 2019**

(54) **BELT BUCKLE**

(71) Applicant: **Isaac Paul**, Northridge, CA (US)

(72) Inventor: **Isaac Paul**, Northridge, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/655,960**

(22) Filed: **Jul. 9, 2018**

(51) **LOC (12) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/235**

(58) **Field of Classification Search**

USPC D11/95-100, 105, 106, 108, 110, 116,
D11/132, 200, 222, 226, 228-241;
D14/344, 485, 486; D2/627, 828, 829;
D8/387; D99/27, 34
CPC A44C 7/00; A44C 7/002; H01H 13/70;
Y10S 273/30; A44B 1/14; A44B 1/02;
A44B 1/20; A44B 1/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D25,794 S *	7/1896	Wheatfield	D11/235
D35,199 S *	10/1901	Richardson	D11/235
D175,438 S *	8/1955	Conn	D11/231
D479,812 S *	9/2003	Calvani	D11/234
D494,098 S *	8/2004	Cohen	D11/235
D578,933 S *	10/2008	Brown	D11/231
D708,549 S *	7/2014	Kao	D11/234
D730,772 S *	6/2015	Chang	D11/234

(Continued)

Primary Examiner — Lakiya G Rogers

Assistant Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Cotman IP Law Group, PLC

(57) **CLAIM**



The ornamental design for a belt buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a belt buckle in a closed position;
 FIG. 2 is a front elevation view of the belt buckle in a closed position;
 FIG. 3 is a rear elevation view of the belt buckle in a closed position;
 FIG. 4 is a left elevation view of the belt buckle in a closed position;
 FIG. 5 is a right elevation view of the belt truckle in a closed position;
 FIG. 6 is a top plan view of the belt buckle in a closed position;
 FIG. 7 is a bottom plan view of the belt buckle in a closed position;
 FIG. 8 is a front elevation view of the belt buckle in a closed position with a belt;
 FIG. 9 is a perspective view of a belt buckle in an open position;
 FIG. 10 is a front elevation view of the belt buckle in an open position;
 FIG. 11 is a rear elevation view of the belt buckle in an open position;
 FIG. 12 is a left elevation view of the belt buckle in an open position;
 FIG. 13 is a right elevation view of the belt buckle in an open position;
 FIG. 14 is a top plan view of the belt buckle in an open position;
 FIG. 15 is a bottom plan view of the belt buckle in an open position; and,
 FIG. 16 is a front elevation view of the belt buckle in an open position with the belt.

The broken line showing of a belt in FIGS. 8 and 16 are included for the purpose of illustrating environmental matter and forms no part of the claimed design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D766,775 S * 9/2016 Stegmann D11/231
D827,215 S * 8/2018 Kao D30/139

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16