



US00D867978S

(12) **United States Design Patent** (10) **Patent No.:** **US D867,978 S**
Davenport (45) **Date of Patent:** **** Nov. 26, 2019**

(54) **TIRE TREAD**

(71) Applicant: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)

(72) Inventor: **Craig R. Davenport**, Findlay, OH (US)

(73) Assignee: **COOPER TIRE & RUBBER COMPANY**, Findlay, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,495**

(22) Filed: **Feb. 19, 2018**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588**

(58) **Field of Classification Search**
USPC D12/586, 587, 588, 589, 590, 594, 595,
D12/600, 601, 900
CPC B60C 11/032; B60C 11/0388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D386,730 S	11/1997	Hubbell, Jr.	
D427,551 S *	7/2000	Weber	D12/588
D458,897 S *	6/2002	Weber	D12/588
D464,614 S *	10/2002	Irimiya	D12/588
D586,733 S	2/2009	Shinohara	
D647,040 S *	10/2011	Mathonet	D12/588
D668,601 S	10/2012	Brown, IV et al.	
D676,802 S	2/2013	Takei	
D709,437 S	7/2014	Fu	
D727,250 S	4/2015	Ebel et al.	
D728,464 S	5/2015	Kudo et al.	
D736,144 S	8/2015	Ebel et al.	
D736,697 S	8/2015	Leocadio et al.	
D737,753 S *	9/2015	Wang	D12/590
D740,215 S *	10/2015	Wang	D12/588

D757,642 S *	5/2016	Kwak	D12/588
D764,389 S	8/2016	Thieman	
D764,392 S	8/2016	Fu et al.	
D770,367 S	11/2016	Schimmoeller, Jr.	
D781,781 S	3/2017	Schimmoeller, Jr.	
D789,286 S	6/2017	Han et al.	
D793,951 S	8/2017	Dahl et al.	
D795,173 S	8/2017	Hayashi	
D803,768 S *	11/2017	Leocadio	D12/588
D813,798 S *	3/2018	Wang	D12/588
D815,589 S *	4/2018	Petr	D12/588
D842,229 S *	3/2019	Schoeppner	D12/588
D849,673 S *	5/2019	Wang	D12/588

* cited by examiner

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread of the present application taken generally from the front and a first side of the tire;

FIG. 2 is a front view of the tire, and any top, bottom, or rear view thereof would be the same as the front view;

FIG. 3 is a side view of the first side of the tire, the second side being the same as the first side view;


FIG. 4 is an enlarged, partial perspective view thereof taken generally from the front and first side of the tire;

FIG. 5 is an enlarged, partial front view thereof; and,

FIG. 6 is an enlarged, partial side view of the first side thereof.

The broken lines depict subject matter that forms no part of the claimed tire tread design. Likewise, the tire interior forms no part of the claim. The tread pattern is understood to repeat throughout the circumference of the tire.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6