



US00D868005S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,005 S**  
**Aromin et al.** (45) **Date of Patent:** **\*\* Nov. 26, 2019**

- (54) **GFCI** 5,684,272 A \* 11/1997 Gernhardt ..... H01H 9/0228  
174/650
- (71) Applicants: **Victor V Aromin**, West Warwick, RI (US); **Daniel R Paquette**, Woonsocket, RI (US); **Louis J. Shatkin**, Warwick, RI (US); **Brandon M Schmutzler**, Cumberland, RI (US) D391,922 S \* 3/1998 Aromin ..... D13/160  
D401,908 S \* 12/1998 Cook ..... D13/160  
6,007,377 A \* 12/1999 Cook ..... H01H 9/0228  
174/77 R  
D418,482 S \* 1/2000 MacKay ..... D13/160  
D454,546 S \* 3/2002 MacKay ..... D13/160  
D521,457 S \* 5/2006 Laurent ..... D13/160  
D653,214 S \* 1/2012 Zou ..... D13/138.2  
D723,476 S \* 3/2015 Aromin ..... D13/139.6  
D765,041 S \* 8/2016 Yu ..... D13/160  
2006/0146455 A1 \* 7/2006 Keller ..... H01R 13/44  
361/42
- (72) Inventors: **Victor V Aromin**, West Warwick, RI (US); **Daniel R Paquette**, Woonsocket, RI (US); **Louis J. Shatkin**, Warwick, RI (US); **Brandon M Schmutzler**, Cumberland, RI (US)
- (73) Assignee: **Tower Manufacturing Corp.**, Providence, RI (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/665,095**
- (22) Filed: **Sep. 30, 2018**
- (51) **LOC (12) Cl.** ..... **13-03**
- (52) **U.S. Cl.**  
USPC ..... **D13/160**
- (58) **Field of Classification Search**  
USPC ..... D13/107, 110, 112, 118, 120, 123, 133, D13/137.3, 138.1, 138.2, 139.6, 154, D13/158-160, 173, 174, 178, 184, 199  
CPC ..... H01H 9/02; H01H 9/0228; H01H 9/04; H01H 13/06; H01H 13/10; H01R 13/44; H01R 13/53; H01R 13/665; H02H 3/00; H02H 3/16; H02H 3/162  
See application file for complete search history.

OTHER PUBLICATIONS

Tower Manufacturing 30338024 2' Length, 15 amp In-Line GFCI , dated Jul. 29, 2011, [online], [site visited May 20, 2019]. Available from Internet, URL: <https://www.amazon.com/Tower-Manufacturing-30338024-Length-Triple/dp/B001DTDTKK> (Year: 2011).\*

(Continued)

*Primary Examiner* — Angela J Lee  
*Assistant Examiner* — Shawn T Gingrich

(57) **CLAIM**

The ornamental design for a GFCI, as shown and described.

**DESCRIPTION**


FIG. 1 is a top-side perspective view of the GFCI employing our new design;  
FIG. 2 a right-side view of FIG. 1;  
FIG. 3 is a left side view of FIG. 1;  
FIG. 4 is a top down view of FIG. 1;  
FIG. 5 is a bottom view of FIG. 1;  
FIG. 6 is a rear view of FIG. 1; and,  
FIG. 7 is a front view of FIG. 1.  
The broken lines in the drawings represent portions of the GFCI that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D313,971 S \* 1/1991 Rosenbaum ..... D13/160
- D358,368 S \* 5/1995 Howard ..... D13/160



(56)

**References Cited**

OTHER PUBLICATIONS

GFCI 18 in. In-Line GFCI W/Single Connector, dated Mar. 25, 2016, [online], [site visited May 20, 2019]. Available from Internet, URL: [http://www.towermfg.com/Cut Sheets/CUT SHEET 30438018.pdf](http://www.towermfg.com/Cut%20Sheets/CUT%20SHEET%2030438018.pdf) (Year: 2016).\*

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7