



US00D868075S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,075 S**
Maus et al. (45) **Date of Patent:** **** Nov. 26, 2019**

(54) **CONTACT PAD FOR DATA STORAGE KEY**

(71) Applicants: **Christopher Maus**, Sandpoint, ID (US); **Brandon Maus**, Coeur d'Alene, ID (US)

(72) Inventors: **Christopher Maus**, Sandpoint, ID (US); **Brandon Maus**, Coeur d'Alene, ID (US)

(73) Assignee: **uQontrol, Inc.**, Sandpoint, ID (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/617,834**

(22) Filed: **Sep. 15, 2017**

Related U.S. Application Data

(63) Continuation of application No. 29/514,527, filed on Jan. 13, 2015, now Pat. No. Des. 800,132.

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/480.1**

(58) **Field of Classification Search**
USPC D14/480.1-480.7, 435.1, 411, 433, 436, D14/484.1, 137, 155, 203.1-203.8, 240, D14/242, 437; D13/133, 154
CPC H05K 5/0278; G06K 19/07732
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,599 S *	8/1992	Gloton	D13/182
D427,577 S *	7/2000	Haas	D14/437
D489,069 S *	4/2004	Lin	D14/385
D603,410 S *	11/2009	Knoch	D14/436
D632,292 S *	2/2011	Yang	D14/385
D656,142 S *	3/2012	Schlossstein	D14/480.1
D656,143 S *	3/2012	Schlossstein	D14/480.1
D662,941 S *	7/2012	Emami	D14/480.3
D710,366 S *	8/2014	Kim	D14/436
D758,371 S *	6/2016	Daniel	D14/435.1

D774,513 S *	12/2016	Cobbett	D14/480.4
D783,613 S *	4/2017	Maus	D14/383
D800,132 S *	10/2017	Maus	D14/435.1
2018/0047014 A1 *	2/2018	Maus	G06Q 20/30

OTHER PUBLICATIONS

http://en.wikipedia.org/wiki/Smart_card Relevant portion published at least as early as Sep. 11, 2008.

https://www.google.com/search?q=usb+key&biw=1150&bih=524&source=lnms&tbn=isch&sa=X&ved=0ahUKEwia0uXDrbDPAhVEIB4KHWf5AT8Q_AUIBygC Relevant portion published at least as early as Aug. 11, 2012.

* cited by examiner

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Mehrman Law Office; Michael J. Mehrman

(57) **CLAIM**

The ornamental design for a contact pad for data storage key, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a contact pad for a data storage key.

FIG. 2 is a top view of the contact pad for the data storage key.

FIG. 3 is a bottom view of the contact pad for the data storage key.

FIG. 4 is a front side view of the contact pad for the data storage key.


FIG. 5 is a rear side of the contact pad for the data storage key.

FIG. 6 is a right side view of the contact pad for the data storage key; and,

FIG. 7 is a left side view of the contact pad for the data storage key.

The components shown in broken lines form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7