



US00D868199S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,199 S**
Mahnke (45) **Date of Patent:** **** Nov. 26, 2019**

- (54) **PROJECTILE**
- (71) Applicant: **G9 Holdings, LLC**, Lakewood, CO (US)
- (72) Inventor: **Joshua Mahnke**, Arvada, CO (US)
- (73) Assignee: **G9 Holdings, LLC**, Lakewood, CO (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/612,522**
- (22) Filed: **Aug. 1, 2017**

- D244,448 S 5/1977 Bonine et al.
 - 4,301,733 A * 11/1981 Arciniega Blanco F42B 7/10 102/517
 - 4,643,435 A 2/1987 Musacchia, Sr.
 - 4,644,866 A 2/1987 Sullivan
 - 4,700,630 A 10/1987 Sullivan
 - 4,829,904 A 5/1989 Sullivan
 - 4,829,906 A 5/1989 Kaswer
 - 4,867,065 A 9/1989 Kaltmann et al.
 - H770 H 4/1990 Kline et al.
- (Continued)

Related U.S. Application Data

- (63) Continuation of application No. 15/406,781, filed on Jan. 16, 2017.
- (51) **LOC (12) Cl.** **22-03**
- (52) **U.S. Cl.**
USPC **D22/116**
- (58) **Field of Classification Search**
USPC D22/115-116
CPC F42B 30/02; F42B 5/02; F42B 5/26; F42B 12/34; F42B 8/04; F42B 10/22; F42B 8/14; F41A 9/83; F41A 9/82; F41A 9/01; F41A 9/09; F41A 9/86
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 760,338 A 5/1904 Kwiatkowski
- 1,596,180 A 8/1926 Henderson
- 2,342,006 A 2/1944 Moore
- 2,612,108 A 9/1952 Schmidt
- 2,941,469 A 6/1960 Barnhart
- 3,557,702 A 1/1971 Benson
- 3,580,179 A 5/1971 Gawlick et al.
- 3,901,158 A 8/1975 Ferb
- 3,949,677 A 4/1976 Voss

FOREIGN PATENT DOCUMENTS

- CA 577406 6/1959
 - EP 0015574 9/1980
- (Continued)

OTHER PUBLICATIONS

- U.S. Appl. No. 29/590,952, filed Jan. 13, 2017, Mahnke.
- (Continued)

Primary Examiner — Michael A. Pratt
(74) *Attorney, Agent, or Firm* — Sheridan Ross P.C.



(57) **CLAIM**

The ornamental design for a projectile, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the projectile;
FIG. 2 is a front elevation view thereof, which is the same as the rear elevation view, top plan view, and bottom plan view;
FIG. 3 is a left elevation view thereof; and,
FIG. 4 is a right elevation view thereof.
The broken lines depict portions of the projectile in which the design is embodied that are not considered part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D310,553 S 9/1990 Kania et al.
 D314,416 S 2/1991 Rezmer
 5,020,438 A 6/1991 Brown
 5,094,464 A 3/1992 Musacchia, Sr.
 5,116,224 A 5/1992 Kelsey, Jr.
 5,133,261 A 7/1992 Kelsey, Jr.
 D343,439 S 1/1994 Kuczewski
 D363,335 S 10/1995 Dixon
 5,493,975 A 2/1996 Franzini et al.
 5,496,043 A 3/1996 Ester
 5,841,058 A 11/1998 Manis
 5,907,121 A 5/1999 Fritze
 5,932,836 A 8/1999 White
 6,070,532 A 6/2000 Halverson
 D435,886 S 1/2001 Benini
 6,182,574 B1 2/2001 Giannoni
 D447,208 S 8/2001 Benini
 6,306,053 B1 10/2001 Liechty, II
 6,439,123 B1 8/2002 Dionne et al.
 6,439,125 B1 8/2002 Carter
 6,581,522 B1 6/2003 Julien et al.
 6,971,315 B2* 12/2005 Knappworst F42B 12/34
 102/508
 7,204,191 B2 4/2007 Wiley et al.
 7,207,276 B1 4/2007 Dindl
 7,213,519 B2 5/2007 Wiley et al.
 D563,100 S 3/2008 Epling et al.
 D566,805 S 4/2008 Earl
 D583,897 S 12/2008 Ward
 7,484,459 B2 2/2009 Fichot et al.
 D621,468 S 8/2010 Nilsson
 D625,380 S 10/2010 Walter et al.
 D626,619 S 11/2010 Gogol et al.
 D632,357 S 2/2011 Dixon
 D652,472 S 1/2012 Klement
 8,161,885 B1* 4/2012 Emary F42B 12/34
 102/506
 8,186,277 B1* 5/2012 King F42B 12/74
 102/507
 8,365,672 B2 2/2013 Calero Martinez et al.
 D689,975 S 9/2013 Carlson et al.
 D707,785 S 6/2014 Seecamp
 8,763,535 B2 7/2014 Padgett
 D710,962 S 8/2014 Pedersen
 D713,919 S 9/2014 Rager
 D717,909 S 11/2014 Thrift et al.
 D722,126 S 2/2015 Bray
 D723,653 S 3/2015 Peterson
 D724,690 S 3/2015 Carson et al.
 D726,281 S 4/2015 Powers, Jr.
 D733,252 S 6/2015 Burczynski et al.
 D733,834 S 7/2015 Burczynski et al.
 D733,835 S 7/2015 Burczynski et al.
 D733,836 S 7/2015 Burczynski et al.
 D733,837 S 7/2015 Burczynski et al.
 D734,419 S 7/2015 Burczynski et al.
 D735,289 S 7/2015 Burczynski et al.
 9,121,677 B2 9/2015 Emary
 D743,500 S 11/2015 Pedersen
 D747,781 S 1/2016 Alculumbre
 D748,220 S 1/2016 Fricke
 D750,723 S 3/2016 Rager
 D751,166 S 3/2016 Seecamp
 D751,167 S 3/2016 Chua et al.
 D752,702 S 3/2016 Arnedo Vera et al.
 D752,703 S 3/2016 Arnedo Vera et al.
 D753,258 S 4/2016 Arnedo Vera et al.
 D754,222 S 4/2016 Pederson et al.
 D754,223 S 4/2016 Pederson et al.
 9,316,468 B2* 4/2016 Rall F42B 33/001
 D759,189 S 6/2016 Pederson et al.
 D764,624 S 8/2016 Masinelli
 D768,798 S 10/2016 Loa
 D768,802 S 10/2016 Bowers
 D770,005 S 10/2016 Christiansen et al.

D775,305 S 12/2016 Fiocchi et al.
 D780,876 S 3/2017 Boatright
 D781,980 S 3/2017 Wallace
 9,709,368 B2 7/2017 Mahnke
 9,863,746 B2* 1/2018 Peterson F42B 12/08
 D821,536 S 6/2018 Christiansen et al.
 2002/0055404 A1 5/2002 Liechty, II
 2005/0005807 A1 1/2005 Wiley et al.
 2005/0241523 A1* 11/2005 Schikora F42B 12/34
 102/510
 2006/0027128 A1 2/2006 Hober
 2006/0030438 A1 2/2006 Hajek
 2006/0096491 A1 5/2006 Fichot
 2013/0263754 A1 10/2013 Neme
 2015/0075400 A1 3/2015 Lemke et al.
 2015/0204639 A1 7/2015 Riley
 2015/0268020 A1 9/2015 Emary
 2016/0231093 A1 8/2016 Lemke et al.
 2017/0314900 A1 11/2017 Mahnke
 2017/0322002 A1 11/2017 Mahnke

FOREIGN PATENT DOCUMENTS

EP 0502221 9/1992
 EP 2498046 9/2012
 GB 451031 7/1936
 WO WO 86/06827 11/1986
 WO WO 99/37971 7/1999
 WO WO 2008/048224 4/2008
 WO WO 2013/096848 6/2013
 WO WO 2015/048102 4/2015

OTHER PUBLICATIONS

U.S. Appl. No. 15/407,102, filed Jan. 16, 2017, Mahnke.
 "ELD® Match," Hornady Manufacturing Company, 2016, retrieved from <http://www.hornady.com/store/BELD-Match-New>, 3 pages.
 "ELD-X®," Hornady Manufacturing Company, 2016, retrieved from <http://www.hornady.com/store/ELD-X-New>, 2 pages.
 "Hornady® BLACK™," Hornady Manufacturing Company, 2016, retrieved from <http://www.hornady.com/store/Black-new>, 3 pages.
 "Inceptor ARX Product Sheet," PolyCase Ammunition, Jan. 2015, 1 page.
 "Inceptor Preferred Defense," Polycase Ammunition, retrieved from <http://www.polycaseammo.com/project/inceptor-arx>, retrieved on Nov. 2016, 2 pages.
 "Inceptor Preferred Hunting®," Polycase Ammunition, retrieved from <http://www.polycaseammo.com/project/inceptor-preferred-hunting>, retrieved on Nov. 2016, 2 pages.
 "Match™," Hornady Manufacturing Company, 2016, retrieved from <http://www.hornady.com/store/Match-newammo>, 3 pages.
 "Polycase Ammo Shows Off New Ammo at Shot Show 2014," Matt Alpert, 2014, retrieved from <https://www.youtube.com/watch?v=Y9Pp9gRNqal>, retrieved on May 2, 2016, 1 page. (screen shot of YouTube video web page).
 "PolyCase ARX + RNP Product Sheet," PolyCase Ammunition, Jan. 2015, 1 page.
 "Ruger® Ammunition," Sturm, Ruger & Co., Inc., retrieved from <http://www.ruger.com/micros/ammo/index.html?r=y>, retrieved on Nov. 2016, 3 pages.
 ES P201331387 (priority document for WO 2015/048102), filed Sep. 24, 2013, 21 pages, English translation unavailable.
 Horman, "Tested: The Polycase ARX Bullet," American Rifleman, 2015, 6 pages.
 International Search Report and Written Opinion for International (PCT) Patent Application No. PCT/US15/28661, dated Jan. 7, 2016, 11 pages.
 International Preliminary Report on Patentability for International (PCT) Patent Application No. PCT/US15/28661, dated Oct. 12, 2016, 9 pages.
 Official Action for U.S. Appl. No. 14/701,519, dated Apr. 5, 2016, 7 pages, Restriction Requirement.
 Official Action for U.S. Appl. No. 14/701,519, dated Aug. 26, 2016, 9 pages.

(56)

References Cited

OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 14/701,519, dated Mar. 24, 2017, 8 pages.

Official Action for Israel Patent Application No. 248588, dated Feb. 7, 2018 7 pages.

Official Action for U.S. Appl. No. 29/590,952, dated Jul. 12, 2018 7 pages Restriction Requirement.

Official Action for U.S. Appl. No. 15/651,997, dated May 14, 2018 7 pages Restriction Requirement.

Extended European Search Report for European Patent Application No. 15819768.1, dated Dec. 1, 2017, 11 pages.

Restriction Requirement for U.S. Appl. No. 15/406781, dated Feb. 28, 2018, 7 pages.

Official Action for U.S. Appl. No. 15/406,781, dated Sep. 5, 2018 6 pages Restriction Requirement.

Official Action for U.S. Appl. No. 15/406,781, dated Feb. 1, 2019 7 pages.

Official Action for U.S. Appl. No. 29/590,952, dated Dec. 14, 2018 7 pages.

Official Action for U.S. Appl. No. 15/651,997, dated Feb. 14, 2019 11 pages.

Official Action for Australia Patent Application No. 2015288295, dated Mar. 6, 2019 6 pages.

Notice of Allowance for Israel Patent Application No. 248588, dated Jun. 16, 2019 3 pages.

Notice of Allowance for U.S. Appl. No. 15/406,781, dated Jul. 25, 2019 8 pages.

Notice of Allowance for U.S. Appl. No. 29/590,952, dated May 22, 2019 5 pages.

Notice of Allowance for U.S. Appl. No. 15/651,997, dated Jul. 29, 2019 8 pages.

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4