



US00D868349S

(12) **United States Design Patent**
Roys et al.

(10) **Patent No.:** **US D868,349 S**

(45) **Date of Patent:** **** Nov. 26, 2019**

(54) **END CAP FOR AN LED STICK**

(71) Applicants: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)

(72) Inventors: **Curtis Alan Roys**, Fredericksburg, TX (US); **Sidney Howard Norton**, Odessa, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/641,055**

(22) Filed: **Mar. 19, 2018**

Related U.S. Application Data

(62) Division of application No. 15/219,246, filed on Jul. 25, 2016, now Pat. No. 10,222,005, and a division of application No. 29/568,321, filed on Jun. 16, 2016, now Pat. No. Des. 811,627.

(51) **LOC (12) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/1, 24, 26-28, 37-50, 35, 36, 61, 62, D26/63, 64, 65, 66, 71, 72, 73, 74, 75, D26/87, 89, 76, 78, 79, 80, 81, 82, 83, D26/85, 86, 88, 90, 113, 118, 119, 120, D26/121
CPC F21Y 2107/30; F21V 29/507
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,556 S * 8/1987 Engel D13/135
D448,096 S * 9/2001 Choi D26/3

D513,079 S * 12/2005 Kluijfhout D26/3
D603,085 S * 10/2009 Kovacs D26/113
D616,822 S * 6/2010 Zayas D13/134
8,840,265 B2 * 9/2014 Moon F21V 29/83
362/219
D715,987 S * 10/2014 Pugh D26/113
D783,198 S * 4/2017 Cartellone D26/113
D801,574 S * 10/2017 Amato D26/118
D809,703 S * 2/2018 Lin D26/138
D811,627 S * 2/2018 Roys
D822,889 S * 7/2018 Cartellone D26/138
D825,829 S * 8/2018 Guo D26/63
D831,879 S * 10/2018 Minale D26/113
2017/0023186 A1 1/2017 Norton et al.

* cited by examiner

Primary Examiner — Mark A Goodwin

Assistant Examiner — Benjamin M Weeks

(74) *Attorney, Agent, or Firm* — Scheinberg & Associates, PC; Michael O. Scheinberg; John B. Kelly


(57) **CLAIM**

We claim the ornamental design for an end cap for an LED stick, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an end cap for an LED stick, showing my new design;
FIG. 2 is front elevation thereof;
FIG. 3 is rear elevation thereof;
FIG. 4 is a right elevation thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a cross-sectional view thereof.
For each embodiment, the left elevation is a mirror image of the right elevation and the bottom plan view is the same as the top plan view, but rotated 180 degrees.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6