



US00D868694S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,694 S**
Rosson (45) **Date of Patent:** **** Dec. 3, 2019**

- (54) **CONNECTOR FOR MAKING OPTICAL CONNECTIONS**
- (71) Applicant: **CORNING RESEARCH & DEVELOPMENT CORPORATION**, Corning, NY (US)
- (72) Inventor: **Joel Christopher Rosson**, Hickory, NC (US)
- (73) Assignee: **Corning Research & Development Corporation**, Corning, NY (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/627,981**
- (22) Filed: **Nov. 30, 2017**
- (51) **LOC (12) Cl.** **13-03**
- (52) **U.S. Cl.**
USPC **D13/133**
- (58) **Field of Classification Search**
USPC D13/107, 110, 118, 123, 133, 134, 146, D13/147, 149, 151, 153, 154, 173, 177, D13/178, 184, 199
CPC ... G02B 6/00; G02B 6/36; G02B 6/38; H01R 4/18; H01R 4/185; H01R 4/62; H01R 9/05; H01R 13/115; H01R 13/428; H01R 13/52; H01R 13/648
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
5,212,752 A * 5/1993 Stephenson G02B 6/3831 385/139
6,918,704 B2 * 7/2005 Marrs G02B 6/3843 385/53
D574,775 S * 8/2008 Amidon D13/133
7,811,006 B2 * 10/2010 Milette G02B 6/3846 385/136
D711,320 S * 8/2014 Yang D13/133

- 9,081,154 B2 * 7/2015 Zimmer G02B 6/3871
- D783,618 S * 4/2017 Wu D13/133
- 2005/0213897 A1 * 9/2005 Palmer G02B 6/3833 385/95
- 2008/0044137 A1 * 2/2008 Luther G02B 6/3869 385/60
- 2010/0303416 A1 * 12/2010 Danley G02B 6/25 385/55
- 2012/0057830 A1 * 3/2012 Taira G02B 6/3825 385/78
- 2013/0051734 A1 * 2/2013 Shen G02B 6/3821 385/78
- 2018/0003902 A1 * 1/2018 Rosson G02B 6/3871
- 2019/0004256 A1 * 1/2019 Rosson G02B 6/3887
- 2019/0014987 A1 * 1/2019 Sasaki A61B 5/0066
- 2019/0033531 A1 * 1/2019 Taira G02B 6/3831
- 2019/0162914 A1 * 5/2019 Baca G02B 6/387

* cited by examiner

Primary Examiner — Angela J Lee
Assistant Examiner — Shawn T Gingrich
(74) *Attorney, Agent, or Firm* — Michael E. Carroll, Jr.


(57) **CLAIM**

The ornamental design for a connector for making optical connections, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a connector for making connections in optical networks;
FIG. 2 is a top view of the connector of FIG. 1;
FIG. 3 is a bottom view thereof of FIG. 1;
FIG. 4 is a right side view thereof of FIG. 1;
FIG. 5 is a left side view thereof of FIG. 1;
FIG. 6 is a front view thereof of FIG. 1; and,
FIG. 7 is a rear view thereof of FIG. 1.
In FIGS. 1-7, the broken lines indicate environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7