



US00D868787S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,787 S**
Magi et al. (45) **Date of Patent:** **** Dec. 3, 2019**

(54) **PERIPHERAL COMPONENT INTERCONNECT CARD WITH BRACKET**

(71) Applicant: **INTEL CORPORATION**, Santa Clara, CA (US)

(72) Inventors: **Aleksander Magi**, Portland, OR (US); **Duck Young Kong**, Beaverton, OR (US); **Michael Hyde**, San Francisco, CA (US)

(73) Assignee: **Intel Corporation**, Santa Clara, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/622,461**

(22) Filed: **Oct. 17, 2017**

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/436**

(58) **Field of Classification Search**
USPC D14/356, 357, 358, 432, 433, 434, 435, D14/435.1, 436, 437, 300, 301, 313; D13/123, 133, 139.1, 139.3, 139.4, 154, D13/173, 184
CPC G06F 2213/0004; G06F 2213/0024; G06F 2213/0026; G06F 13/00; G06F 13/14; G06F 13/4221; G06F 1/1656; G06F 1/181; G06F 1/186; G06F 11/3041; G06F 3/00; H05K 5/00; H05K 5/0047; H05K 5/0052; H05K 5/006; H05K 5/02; H05K 5/0204; H05K 5/0269; H05K 5/03; H05K 5/04; H05K 1/141; H05K 7/14; H05K 7/1402; H05K 7/1405; H05K 7/1407; H05K 7/1427; H05K 7/1428; H05K 7/1431; H05K 7/1411; H01L 24/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D186,981 S * 1/1960 Hughes D14/356
D257,345 S * 10/1980 Levy D14/435
D268,931 S * 5/1983 Ellis D14/433
D287,594 S * 1/1987 Perissinotto D14/387

(Continued)

OTHER PUBLICATIONS

Intel Xeon Phi Coprocessor adds 60 cores through a PCI-Express card. 404techsupport.com. (online) 5 pgs. Printed Dec. 1, 2012 [Retrieved on Mar. 22, 2019] <https://www.404techsupport.com/2012/12/01/intel-xeon-phi-coprocessor-adds-60-cores-through-a-pci-express-card/>.*

(Continued)

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Hanley, Flight and Zimmerman, LLC

(57) **CLAIM**



The ornamental design for a “peripheral component interconnect card with bracket”, as shown and described in FIGS. 1-7.

DESCRIPTION

FIG. 1 is right, front perspective view of a peripheral component interconnect (PCI) card with bracket; FIG. 2 a front view of the PCI card with bracket of FIG. 1 shown enlarged for clarity; FIG. 3 is a rear view of the PCI card with bracket of FIG. 1 shown enlarged for clarity; FIG. 4 is right side view of the PCI card with bracket of FIG. 1; FIG. 5 is a left side view of the PCI card with bracket of FIG. 1; FIG. 6 is top view of the PCI card with bracket of FIG. 1; and, FIG. 7 is a bottom view of the PCI card with bracket of FIG. 1.

The broken lines in the drawings depict portion of the PCI card that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,941,835 A * 7/1990 Lasmayoux H05K 5/0208
 439/152
 D311,737 S * 10/1990 Westwood D14/435
 D313,404 S * 1/1991 Myers D14/434
 D316,853 S * 5/1991 Dickey D13/184
 D327,260 S * 6/1992 Davis D13/184
 D331,749 S * 12/1992 Mizusugi D14/434
 D360,419 S * 7/1995 Weber D13/177
 D397,107 S * 8/1998 Klinker D14/436
 D398,004 S * 9/1998 Klinker D14/436
 D398,592 S * 9/1998 Klinker D14/436
 D399,502 S * 10/1998 Klinker D14/436
 D405,440 S * 2/1999 Klinker D14/436
 D405,778 S * 2/1999 Klinker D14/436
 D409,178 S * 5/1999 Klinker D14/436
 D414,481 S * 9/1999 Wu D14/436
 6,021,049 A * 2/2000 Thompson H05K 7/1405
 211/41.17
 D423,479 S * 4/2000 Alo D14/260.1
 6,215,666 B1 * 4/2001 Hileman G11B 33/124
 361/679.32
 D451,501 S * 12/2001 Sward D14/242
 D452,494 S * 12/2001 Sodling D14/242
 6,556,451 B1 * 4/2003 Feightner H05K 7/1429
 361/679.32
 D475,701 S * 6/2003 Kasuya D14/242
 D475,972 S * 6/2003 Gershfeld D13/139.4
 D477,279 S * 7/2003 Gershfeld D13/139.4
 D477,282 S * 7/2003 Gershfeld D13/139.4
 D483,756 S * 12/2003 Tanaka D14/356
 D486,482 S * 2/2004 Huang D14/242
 D489,714 S * 5/2004 Yin D14/242
 D489,725 S * 5/2004 Hu D13/147
 D491,191 S * 6/2004 Wen D14/496
 D513,252 S * 12/2005 Wang D14/357
 D523,860 S * 6/2006 Xu D14/436
 D539,286 S * 3/2007 Phillips D14/435
 D548,739 S * 8/2007 Nakamura D14/433
 D549,708 S * 8/2007 Phillips D14/435
 D562,818 S * 2/2008 Chen D14/385
 D565,571 S * 4/2008 Trifilio D14/356
 D578,122 S * 10/2008 Leung D14/385
 D579,873 S * 11/2008 Gershfeld D13/139.4
 D607,885 S * 1/2010 Otani D14/436
 D618,680 S * 6/2010 Marchand D14/357
 D623,178 S * 9/2010 Lu D14/242
 D631,885 S * 2/2011 Maier D14/435.1
 D664,544 S * 7/2012 Yi D14/436
 D678,289 S * 3/2013 Searby D14/439
 D691,557 S * 10/2013 Helosvuori D13/123
 D700,894 S * 3/2014 Feldstein D13/154
 D703,618 S * 4/2014 Kodama D13/154
 D721,706 S * 1/2015 Rooyakkers D13/110

D721,707 S * 1/2015 Rooyakkers D13/110
 D723,566 S * 3/2015 Ferguson D14/435.1
 D740,828 S * 10/2015 Bucsa D14/433
 D745,523 S * 12/2015 Magi D14/433
 D749,589 S * 2/2016 Ferguson D14/435.1
 D768,129 S * 10/2016 Chen D14/349
 D774,035 S * 12/2016 Kao D14/435.1
 D780,183 S * 2/2017 Ferguson D14/435.1
 9,600,040 B1 * 3/2017 Han G06F 1/186
 9,606,589 B2 * 3/2017 Gallina G06F 1/185
 D801,298 S * 10/2017 Katsuno D14/157
 D820,264 S * 6/2018 Lai D14/433
 D827,594 S * 9/2018 Shim D13/184
 D827,649 S * 9/2018 Shim D14/435.1
 D830,364 S * 10/2018 Jhun D14/432
 D831,655 S * 10/2018 Jhun D14/432
 D832,257 S * 10/2018 Jhun D14/432
 2008/0101042 A1 * 5/2008 Huang H05K 5/0269
 361/737
 2012/0026709 A1 * 2/2012 Chuang H05K 1/141
 361/803
 2013/0021743 A1 * 1/2013 Hu G06F 1/186
 361/679.32
 2014/0363999 A1 * 12/2014 Lin G06F 1/185
 439/345
 2015/0062798 A1 * 3/2015 Kannler G06F 1/20
 361/679.32
 2015/0070837 A1 * 3/2015 Hsu G06F 1/20
 361/679.47
 2015/0124397 A1 * 5/2015 Dean H05K 1/141
 361/679.46
 2015/0138718 A1 * 5/2015 Liu G06F 1/185
 361/679.32
 2016/0327995 A1 * 11/2016 Sun G06F 1/185
 2017/0153675 A1 * 6/2017 Yang G06F 1/186
 2017/0280578 A1 * 9/2017 Hesse G06F 1/185
 2018/0059741 A1 * 3/2018 Huang G06F 1/181
 2019/0079890 A1 * 3/2019 Matula G06F 13/4045

OTHER PUBLICATIONS

Intel Xeon Phi Coprocessor 7120P. amazon.com. (online image:81Zg30DUDrL_SL1500_.jpg) 1 pg. MFG Mar. 2016 [Retrieved on Mar. 25, 2019] https://images-na.ssl-images-amazon.com/images/1/81Zg30DUDrL_SL1500_.jpg.
 PCIE Cards. (Design—© Questel) orbit.com.[online PDF] 12 pgs. Print Dates range Jul. 9, 2014 to Feb. 26, 2019. [Retrieved on Mar. 26, 2019] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/223b587b-e3b3-4324-91df-efeb6f8ef9c3-181408.pdf>.
 Intel Xeon Phi Coprocessor 5110P. ebayimg.com (online image: s-I1600.jpg) 1 pg. MFG May 2013 [Retrieved on Mar. 26, 2019] <https://i.ebayimg.com/images/g/H0oAAOSw9N1ap41h/s-11600.jpg>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7