

US00D868844S

(12) **United States Design Patent** (10) **Patent No.:** **US D868,844 S**  
**Descoteaux** (45) **Date of Patent:** **\*\* Dec. 3, 2019**

- (54) **CARRYING SYSTEM FOR USE WITH THE ROLL BAR OF A VEHICLE**
- (71) Applicant: **Timothy J Descoteaux**, Lakeside, CT (US)
- (72) Inventor: **Timothy J Descoteaux**, Lakeside, CT (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/667,696**
- (22) Filed: **Oct. 24, 2018**
- (51) **LOC (12) Cl.** ..... **15-03**
- (52) **U.S. Cl.**  
USPC ..... **D15/17; D15/28**
- (58) **Field of Classification Search**  
USPC ..... D15/17, 28, 22, 23, 26, 10; D12/412, D12/413, 414, 414.1, 159, 222; 224/400, 224/410; D29/100; D3/315  
CPC .... B60R 9/00; B60R 9/02; B60R 9/04; B60R 9/08; B60R 9/055; B60R 9/058; B60R 9/06; B60R 9/065; B60R 9/10; B60R 9/12; B60R 2011/004; B60R 2011/0052; B60R 2011/0085; B60R 21/131; B62D 33/023; B62D 49/08  
See application file for complete search history.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D396,347 S \* 7/1998 Jenkins ..... D3/327  
5,961,014 A \* 10/1999 Knerr ..... A45F 3/04  
224/153  
6,257,470 B1 \* 7/2001 Schaefer ..... B60R 9/055  
224/318  
D449,136 S \* 10/2001 Vallance ..... D29/100  
D455,009 S \* 4/2002 Thayer ..... D3/316  
D457,688 S \* 5/2002 Cordero ..... D2/627

- 6,382,293 B1 \* 5/2002 Brockington ..... E04F 10/0625  
160/46  
D500,393 S \* 12/2004 Beacham ..... D29/100  
D650,586 S \* 12/2011 Hutcheson ..... D3/316  
D743,628 S \* 11/2015 Millington ..... D29/101.1  
D777,990 S \* 1/2017 Mathews, Jr. .... D29/100  
D781,002 S \* 3/2017 Mathews, Jr. .... D29/100  
D840,153 S \* 2/2019 Persellin ..... D3/315  
10,378,234 B1 \* 8/2019 Nielsen ..... E04H 15/06  
2001/0002087 A1 \* 5/2001 Townsend ..... A42B 3/0473  
280/801.1  
2009/0039128 A1 \* 2/2009 Damico ..... B60R 7/043  
224/572


(Continued)

Primary Examiner — Mark A Goodwin  
(74) Attorney, Agent, or Firm — Carla Gannon Law

(57) **CLAIM**  
I claim the ornamental design for a carrying system for use with the roll bar of a vehicle, as shown and described.

**DESCRIPTION**  
FIG. 1 is a front/side perspective view of the carrying system for use with the roll bar of a vehicle showing my new design; FIG. 2 is the front view of the carrying system of FIG. 1; FIG. 3 is the back view of the carrying system of FIG. 1; FIG. 4 is the top view of the carrying system of FIG. 1; FIG. 5 is the bottom view of the carrying system of FIG. 1; FIG. 6 is a side view of the carrying system of FIG. 1; FIG. 7 is the opposite side view of the carrying system of FIG. 6; and, FIG. 8 is a front/side perspective view of the carrying system of FIG. 1 connected to a vehicle.  
The broken lines showing the roll bar in FIGS. 1-8 are included for purposes of illustrating the carrying system in use, and form no part of the claimed invention.  
The broken lines showing the vehicle and rake of FIG. 8 are included for purposes of illustrating the carrying system in use, and form no part of the claimed invention.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2013/0186923 A1\* 7/2013 Gier ..... B60R 9/06  
224/403  
2015/0150342 A1\* 6/2015 Danze ..... B60P 7/0823  
24/68 E  
2017/0203699 A1\* 7/2017 Williams ..... B60R 9/10

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8