

US00D869301S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,301 S**
Komoni et al. (45) **Date of Patent:** **** Dec. 10, 2019**

(54) **SENSING AND TRACKING DEVICE**
(71) Applicant: **Tive, Inc.**, Worcester, MA (US)
(72) Inventors: **Krenar Komoni**, Arlington, MA (US);
Walker S. Harden, Palo Alto, CA
(US); **Martin Forest**, Arlington, MA
(US)
(73) Assignee: **Tive, Inc.**, Worcester, MA (US)
(**) Term: **15 Years**

D736,703 S 8/2015 Kotaniemi et al.
D743,884 S 11/2015 Kotaniemi et al.
D773,456 S * 12/2016 Mitchell D10/65
D775,978 S * 1/2017 Christianson D10/106.8
D775,979 S * 1/2017 Christianson D10/106.6
D795,187 S 8/2017 Skurdal
D795,189 S 8/2017 Skurdal
D801,200 S * 10/2017 Farley D10/70
D805,030 S 12/2017 Massar
D817,198 S * 5/2018 Farley D10/70
D817,199 S * 5/2018 Farley D10/70
D818,386 S * 5/2018 Barovic D10/106.9
D819,468 S * 6/2018 Komoni D10/70

(Continued)

(21) Appl. No.: **29/645,866**
(22) Filed: **Apr. 30, 2018**
(51) **LOC (12) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/70; D10/106.9**
(58) **Field of Classification Search**
USPC D10/65, 70, 106.9
CPC G08B 13/126; G08B 13/128; G08B 13/14;
G08B 13/1427; G08B 13/1409; G08B
13/1436; G08B 13/1445; G08B 13/1463;
G08B 13/1472; G08B 13/1481; G08B
13/149; G08B 13/2428; G08B 13/2434;
G08B 13/2437; G08B 21/24; G09F 3/18;
G09F 3/185; G09F 3/20; G09F 3/201;
G09F 3/202; G09F 3/203; G09F 3/204;
G09F 3/205; G09F 3/206; G09F 3/207;
G09F 3/208
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D563,245 S 3/2008 Deboves et al.
D582,806 S * 12/2008 Schmid-Schweiger D10/65
D675,622 S 2/2013 Petrick et al.
D709,445 S 7/2014 Yeh
D710,797 S 8/2014 Awiszus et al.
D722,957 S 2/2015 Kotaniemi et al.

OTHER PUBLICATIONS

AT&T, "AT&T Cargo View with Flight Safe," Product Brochure, 4 pages, Aug. 2014.

(Continued)


Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Foley Hoag LLP; Rajesh Vallabh

(57) **CLAIM**
The ornamental design for a sensing and tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensing and tracking device showing our new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 left side view thereof; and,
FIG. 7 is a rear view thereof.
The broken lines shown are included for the purpose of illustrating the unclaimed portions of the sensing and tracking device and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D819,469 S * 6/2018 Farley D10/70
D821,401 S * 6/2018 Siebe D14/420
D844,467 S * 4/2019 Maguire D10/65

OTHER PUBLICATIONS

MicroDAQ, "Track-It Data Logger," Product Brochure, 2 pages, Jun. 2011.

SensiTech, "TempTale Ultra," Product Brochure, 2 pages, Nov. 2017.

SensiTech, "TempTale 4 USB," Product Brochure, 2 pages, Apr. 2018.

SensiTech, "TempTale Monitors," Product Brochure, 4 pages, Jul. 2018.

* cited by examiner




FIG. 1




FIG. 4




FIG. 3




FIG. 2






FIG. 5

FIG. 6

FIG. 7