



US00D869319S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,319 S**
Kristensson et al. (45) **Date of Patent:** **** Dec. 10, 2019**

(54) **PART OF A BURGLAR ALARM**
(71) Applicant: **VERISURE SÀRL**, Versoix (CH)
(72) Inventors: **Daniel Kristensson**, Saxtorp (SE); **Henrik Mårtensson**, Lund (SE); **Kajsa Aspegren**, Falsterbo (SE); **Bayden Filleul**, Dublin (IE); **Eoin McNally**, Dublin (IE); **Ryan Helps**, Malmö (SE); **Kim McKenzie Doyle**, Carlow (IE); **Emmanuelle Choteau**, Lille (FR); **Diarmuid MacMahon**, Dublin (IE)

(73) Assignee: **VERISURE SÀRL**, Versoix (CH)
(**) Term: **15 Years**

(21) Appl. No.: **29/659,170**

(22) Filed: **Aug. 7, 2018**

Related U.S. Application Data

(62) Division of application No. 35/502,893, filed on Oct. 25, 2016 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Oct. 25, 2016, now Pat. No. Des. 834,978.

Foreign Application Priority Data

Oct. 25, 2016 (WO) DM/093169
(51) **LOC (12) Cl.** **10-05**
(52) **U.S. Cl.**
USPC **D10/106.1**
(58) **Field of Classification Search**
USPC D10/104.1, 106.1; D14/204, 214, 194
CPC H04R 1/026; H04R 1/025
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D449,244 S 10/2001 Ginzel
D534,089 S 12/2006 Disselkoen et al.
D537,746 S 3/2007 Kageyama
D559,718 S 1/2008 Schaeken
D559,719 S 1/2008 Schaeken et al.
D632,600 S 2/2011 Noguchi
D659,670 S * 5/2012 Goetzen D14/194
D660,285 S * 5/2012 Lee D14/214
D666,934 S 9/2012 Krumpe et al.
D672,748 S * 12/2012 Burlingame, III D14/214
D677,245 S * 3/2013 Joseph D14/204
D680,013 S 4/2013 Ikeda et al.
D684,948 S * 6/2013 Burlingame D14/204
D713,277 S 9/2014 Hasegawa et al.
D726,179 S 4/2015 Orthey
D744,884 S 12/2015 Roberts et al.
D747,228 S 1/2016 Fiedler et al.
(Continued)

FOREIGN PATENT DOCUMENTS

EM 000422308-0002 S 11/2005
EM 000442124-0001 S 1/2006
(Continued)


Primary Examiner — George D. Kirschbaum
(74) *Attorney, Agent, or Firm* — Moser Taboada

(57) **CLAIM**
The ornamental design for part of a burglar alarm, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of part of a burglar alarm embodying the new design;
FIG. 2 is a top view of the design shown in FIG. 1;
FIG. 3 is a bottom view of the design shown in FIG. 1;
FIG. 4 is a front view of the design shown in FIG. 1;
FIG. 5 is a left side view of the design shown in FIG. 1; and,
FIG. 6 is a right side view of the design shown in FIG. 1.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D757,586	S	5/2016	Li	
D771,585	S *	11/2016	Espinosa	D14/204
D777,050	S	1/2017	Will et al.	
D778,185	S	2/2017	Ookawa et al.	
D786,106	S	5/2017	Yau	
D788,603	S	6/2017	Liu	
D793,262	S	8/2017	Geskin et al.	
D793,888	S	8/2017	Hasegawa	
D796,364	S	9/2017	Konotopskyi et al.	
D803,187	S	11/2017	Gunnarsson et al.	
D805,941	S	12/2017	Jou et al.	
D806,671	S	1/2018	Kalyuzhny et al.	
D806,678	S	1/2018	Reichert et al.	
D807,320	S	1/2018	Wong	
D809,951	S	2/2018	Yang et al.	
2014/0355806	A1 *	12/2014	Graff	H04R 1/025 381/334
2015/0063619	A1 *	3/2015	Wenger	H04R 1/026 381/334

FOREIGN PATENT DOCUMENTS

EM	001783051-0001	S	11/2010
EM	001783051-0002	S	11/2010
EM	001783051-0004	S	11/2010
EM	001783051-0005	S	11/2010
EM	001783051-0006	S	11/2010
FR	006594	S	11/2000
NO	079807	S	4/2006
NO	080069	S	5/2006

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6