



US00D869551S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,551 S**
Mita et al. (45) **Date of Patent:** **** Dec. 10, 2019**

(54) **PRINTER**

(71) Applicant: **BROTHER INDUSTRIES, LTD.**,
Nagoya-shi, Aichi-ken (JP)

(72) Inventors: **Masayoshi Mita**, Nagoya (JP); **Toshiya Inada**, Nagoya (JP)

(73) Assignee: **BROTHER INDUSTRIES, LTD.**,
Nagoya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/664,915**

(22) Filed: **Sep. 28, 2018**

(30) **Foreign Application Priority Data**

Mar. 29, 2018 (JP) 2018-006857

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D18/56; D18/50**

(58) **Field of Classification Search**

USPC D18/55, 50, 53, 54, 56, 59, 36, 37, 38,
D18/39, 40, 41, 45; D14/301, 307, 121
CPC H04N 1/00204; H04N 1/00249; H04N
1/00278; G06K 15/12; G06K 15/14; B41J
3/00; B41J 3/28; B41J 3/445; B41J 3/46
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,698 S *	11/2007	Miller		D18/55
D576,202 S *	9/2008	Falk		D18/55
D685,413 S *	7/2013	Jihoon		D18/50
D722,339 S *	2/2015	Nakagawa		D18/55
D723,615 S *	3/2015	Sato		D18/50
D725,185 S *	3/2015	Kim		D18/55
D749,170 S *	2/2016	Nakagawa		D18/55
D750,164 S *	2/2016	So		D18/50

D769,967 S *	10/2016	Kim		D18/55
D786,343 S *	5/2017	Kil		D18/55
D786,348 S *	5/2017	Mita		D18/56

(Continued)

OTHER PUBLICATIONS

Amazon. Link: https://www.amazon.com/dp/B01BBL1JYM/ref=cm_sw_em_r_mt_dp_U_kTtIDbSCYVMRH. Jan. 25, 2016. Lexmark CX725DHE Color Laser Multifunction Printer (40C9501) (Year: 2016).*

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Lauren D McVey

(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a printer, as shown and described.


DESCRIPTION

FIG. 1 is a right-side perspective view of the printer; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left-side view thereof; FIG. 5 is a right-side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a left-side perspective view thereof; and, FIG. 9 is a cross-section taken in the direction of line 9-9 in FIG. 2.

The dot-dash lines and evenly spaced broken lines immediately adjacent the shaded areas depict the bounds of the claimed design, while all other evenly spaced broken lines are directed to environment. In addition, the unshaded surfaces that directly adjoin the solid line edges form no part of the claimed design. The broken lines form no part of the claimed design.

The stipple shading as used in this application is a drafting convention used to show contrast with adjacent surfaces.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D786,970	S	*	5/2017	Mita		D18/56
D806,789	S	*	1/2018	Hirota		D18/50

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9