

US00D869579S

(12) **United States Design Patent**
Hannan et al.

(10) **Patent No.:** **US D869,579 S**

(45) **Date of Patent:** **** Dec. 10, 2019**

(54) **PULLEY DEVICE**

(71) Applicants: **Scott Hannan**, Haverhill, MA (US);
Janice Hannan, Haverhill, MA (US);
Geoffrey Hannan, Haverhill, MA (US);
Timothy Hannan, Salem, NH (US);
Joshua Hannan, Methuen, MA (US);
John-Benjamin Hannan, Plaistow, NH (US)

(72) Inventors: **Scott Hannan**, Haverhill, MA (US);
Janice Hannan, Haverhill, MA (US);
Geoffrey Hannan, Haverhill, MA (US);
Timothy Hannan, Salem, NH (US);
Joshua Hannan, Methuen, MA (US);
John-Benjamin Hannan, Plaistow, NH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/632,348**

(22) Filed: **Jan. 7, 2018**

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/684**; D21/694

(58) **Field of Classification Search**
USPC D21/671, 787, 798, 826, 694, 692, 691,
D21/690, 688, 687, 686, 684, 679, 673,
D21/662, 683; D3/207, 208, 215;
D30/152; D8/360
CPC A63B 21/065; A63B 21/4021; A63B
21/4001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,357,702 A * 12/1967 Van Sadars A63B 21/023
482/49
D262,228 S * 12/1981 Docic D21/693
D274,828 S * 7/1984 Evans D21/687

D373,803 S * 9/1996 Winans D21/684
D431,449 S * 10/2000 Mihailovic D8/360
D431,771 S * 10/2000 Westerfield D8/360
D454,415 S * 3/2002 Leverenz D30/152
D464,686 S * 10/2002 Silveira D21/662
D488,523 S * 4/2004 Hamlin D21/683
D657,134 S * 4/2012 Tepper A45F 5/00
D3/215
D662,557 S * 6/2012 Nawracaj D21/683
D676,091 S * 2/2013 Henniger D21/662
D695,970 S * 12/2013 Beinke D30/121
D733,815 S * 7/2015 Gustafson D21/694
9,259,605 B1 * 2/2016 Puig A63B 7/00
9,265,985 B2 * 2/2016 Uygan A63B 21/4035

(Continued)

Primary Examiner — Shannon W Morgan

Assistant Examiner — Keith Frank

(74) *Attorney, Agent, or Firm* — Andover Patents, LLC;
Daniel N. Beinart



(57) **CLAIM**

The ornamental design for a pulley device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pulley device;
FIG. 2 is a front view of the pulley device of FIG. 1;
FIG. 3 is a back view of the pulley device of FIG. 1;
FIG. 4 is a bottom view of the pulley device of FIG. 1;
FIG. 5 is a top view of the pulley device of FIG. 1;
FIG. 6 is a left side view of the pulley device of FIG. 1, a right side view not shown, but being symmetrical and identical to the left side view;
FIG. 7 is a first perspective view of the pulley device of FIG. 1 worn on a person's wrist; and,
FIG. 8 is a second perspective view of the pulley device of FIG. 1 worn on a person's wrist.
The broken line showing of a person's hand in FIGS. 7 and 8 is for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D752,695	S *	3/2016	Boruch	D21/684
9,339,693	B1 *	5/2016	Pegram, II	A63B 26/00
D796,184	S *	9/2017	Terkel	D3/207
D813,960	S *	3/2018	Boruch	D21/684
D816,785	S *	5/2018	Smith, Jr.	D21/694
D826,550	S *	8/2018	Filakousky	D3/207
D836,325	S *	12/2018	Dumas	D3/207
2005/0170937	A1 *	8/2005	van Straaten	A63B 21/0552
				482/124
2011/0166003	A1 *	7/2011	Brice	A63B 21/00
				482/131
2012/0295776	A1 *	11/2012	Chen	A63B 21/0442
				482/121

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8