



US00D869732S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,732 S**
Rye (45) **Date of Patent:** **** Dec. 10, 2019**

(54) **LAMP**

(71) Applicant: **Andreas Rye**, Aalborg (DK)

(72) Inventor: **Andreas Rye**, Aalborg (DK)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,605**

(22) Filed: **Jul. 24, 2017**

(30) **Foreign Application Priority Data**

Jan. 31, 2017 (EM) 003733450-0001

Jan. 31, 2017 (EM) 003733450-0002

(Continued)

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/86; D26/91**

(58) **Field of Classification Search**
USPC **D26/81-92, 118**

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

452,701 A * 5/1891 Gartner et al. F21V 17/02
362/283

D43,646 S * 2/1913 D'A. Ryan D26/88

(Continued)

OTHER PUBLICATIONS

Armadillo light fitting by Chelsea Lighting design, launched at Valencia Fair in 2010. Published as blogspot on Monday Feb. 7, 2011 at brightspacedesign.blogspot.com by Sarah Antoniou (Year: 2011).*

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — McCarter & English, LLP

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a lamp showing the design; FIG. 2 is a top plan view thereof;

FIG. 3 is a perspective view thereof;

FIG. 4 is a perspective view thereof, slightly rotated as compared to FIG. 3;

FIG. 5 is a side elevation view thereof;

FIG. 6 is a side elevation view thereof, slightly rotated as compared to FIG. 5;

FIG. 7 is a side elevation view thereof, slightly rotated as compared to FIG. 6;

FIG. 8 is a bottom plan view of another embodiment of a lamp showing the design;

FIG. 9 is a top plan view thereof;

FIG. 10 is a perspective view thereof;

FIG. 11 is a perspective view thereof, slightly rotated as compared to FIG. 10;

FIG. 12 is a side elevation view thereof;

FIG. 13 is a side elevation view thereof, slightly rotated as compared to FIG. 12;

FIG. 14 is a side elevation view thereof, slightly rotated as compared to FIG. 13;

FIG. 15 is a bottom plan view of another embodiment of a lamp showing the design;

FIG. 16 is a top plan view thereof;

FIG. 17 is a perspective view thereof;

FIG. 18 is a perspective view thereof, slightly rotated as compared to FIG. 17;

FIG. 19 is a side elevation view thereof;

FIG. 20 is a side elevation view thereof, slightly rotated as compared to FIG. 19;

FIG. 21 is a side elevation view thereof, slightly rotated as compared to FIG. 20;

FIG. 22 is a bottom plan view of another embodiment of a lamp showing the design;



FIG. 23 is a top plan view thereof;

FIG. 24 is a perspective view thereof;

FIG. 25 is a perspective view thereof, slightly rotated as compared to FIG. 24;

FIG. 26 is a side elevation view thereof;

(Continued)






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28