

US00D869785S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,785 S**
Sporn (45) **Date of Patent:** **** Dec. 10, 2019**

(54) **DOG TOY**

(71) Applicant: **Joseph S Sporn**, New York, NY (US)

(72) Inventor: **Joseph S Sporn**, New York, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,859**

(22) Filed: **Oct. 27, 2017**

(51) **LOC (12) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/160**

(58) **Field of Classification Search**

USPC D21/398, 400, 402, 412, 415, 426, 436,
D21/439, 440, 441, 443, 455, 460-462,
D21/466-468, 479, 495, 563, 656, 712,
D21/713, 788, 799.1, 470, 681; D24/211,
D24/214, 215, 193-195; D30/160, 112,
D30/119; D1/125-127
CPC A63H 5/00; A63H 33/26; A63H 33/18;
A63H 29/22; A63H 29/24; A63H
2200/00; A63H 11/00; A63H 13/00;
A63H 18/02; A63H 18/14; A63H 18/16;
A63H 29/00; A63H 33/009; A63H 33/22;
A63H 33/3055; A63H 3/003; A63H
3/006; A63H 3/008; A63H 3/24; A63H
3/28; A63H 3/31; A63H 3/36; A63H
9/00; A63B 59/20; A63B 69/406; A63B
47/04; A63B 2220/51; A63B 2220/53;
A63B 2220/56; A63B 2220/805; A63B
2071/0625; A63B 2071/063; A63B
2220/17; A63B 2220/18; A63B 2220/40;
A63B 2220/803; A63B 2220/833; A63B
43/004; A63B 43/06; A63B 71/0622;
A63B 2071/0602; A63B 21/0055; A63B
2207/02; A63B 2225/54; A63B 69/0053;
A63B 2047/043

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,099,450	A *	7/1963	Randall	A63H 33/18 473/588
3,416,800	A *	12/1968	Randall	A63F 7/40 473/588
4,378,653	A *	4/1983	O'Brien	A63H 33/18 446/46
5,020,438	A *	6/1991	Brown	F42B 10/04 102/436
5,476,267	A *	12/1995	Gertsikov	A63B 67/08 473/580
6,142,894	A *	11/2000	Lee	A63B 43/00 446/397
8,216,091	B2 *	7/2012	Neal	A63B 43/002 473/422
D672,927	S *	12/2012	Bertsch	D30/160
D691,334	S *	10/2013	Byrne	D30/121
10,323,918	B2 *	6/2019	Menefee, III	F42B 7/046
D859,680	S *	9/2019	Wersland	D24/211

* cited by examiner

Primary Examiner — Sheryl Lane

Assistant Examiner — Aula Soroush

(74) *Attorney, Agent, or Firm* — Hanes & Bartels LLC

(57) **CLAIM**

The ornamental design for a dog toy, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top of the dog toy of the present invention.


FIG. 2. is a perspective view of the bottom of the dog toy.

FIG. 3. is a side view of the dog toy.

FIG. 4 is a top view of the dog toy; and,

FIG. 5 is a bottom view of the dog toy.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5