

US00D869845S

(12) **United States Design Patent**
Baggio

(10) **Patent No.:** **US D869,845 S**

(45) **Date of Patent:** **** Dec. 17, 2019**

(54) **BOX**

(71) Applicant: **GAMEVISION S.R.L.**, Campo San Martino (IT)

(72) Inventor: **Giovanni Baggio**, Campo San Martino (IT)

(73) Assignee: **GAMEVISION S.R.L.**, Campo San Martino (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/650,268**

(22) Filed: **Jun. 5, 2018**

(30) **Foreign Application Priority Data**

Dec. 11, 2017 (EM) 004542546

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/297**

(58) **Field of Classification Search**

USPC D9/410, 414, 416, 417, 418, 420, 421,
D9/423, 430-433, 456, 457, 600, 652,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,260 S * 5/1989 McLaughlin D21/500
D363,396 S * 10/1995 Licari D3/297

(Continued)

Primary Examiner — Vy N Koenig

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**


The ornamental design for a box, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a box showing my new design;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view thereof, in the open configuration;
FIG. 8 is a right side view thereof;
FIG. 9 is a perspective view of another embodiment thereof;
FIG. 10 is a front view thereof;
FIG. 11 is a rear view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a top view thereof;
FIG. 14 is a bottom view thereof;
FIG. 15 is a perspective view thereof, in the open configuration;
FIG. 16 is a right side view thereof;
FIG. 17 is a perspective view of another embodiment thereof;
FIG. 18 is a front view thereof;
FIG. 19 is a rear view thereof;
FIG. 20 is a left side view thereof;
FIG. 21 is a top view thereof;
FIG. 22 is a bottom view thereof;
FIG. 23 is a perspective view thereof, in the open configuration;
FIG. 24 is a right side view thereof;
FIG. 25 is a perspective view of another embodiment thereof;
FIG. 26 is a front view thereof;
FIG. 27 is a rear view thereof;
FIG. 28 is a left side view thereof;
FIG. 29 is a top view thereof;
FIG. 30 is a bottom view thereof;
FIG. 31 is a perspective view thereof, in the open configuration; and,
FIG. 32 is a right side view thereof.

1 Claim, 32 Drawing Sheets



(58) **Field of Classification Search**

USPC D9/667, 711, 713, 730–733, 737, 756,
D9/759, 760; D3/273, 295–297;
D6/512–515; D7/637

CPC . B65D 5/00; B65D 5/001; B65D 5/02; B65D
5/13; B65D 5/18; B65D 5/20; B65D
5/38; B65D 5/54

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D481,222	S	*	10/2003	Tsai	D6/663
D583,172	S	*	12/2008	Cassel	D3/297
D609,275	S	*	2/2010	Lam	D19/86
D731,302	S	*	6/2015	Lutgen	D9/418
D793,855	S	*	8/2017	Levy	D9/420
D805,311	S	*	12/2017	Mandon	D6/349
D808,824	S	*	1/2018	Dupin	D9/761
D824,252	S	*	7/2018	Oldham	D9/432
D826,712	S	*	8/2018	Servaire	D9/432

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32