



US00D869918S

(12) **United States Design Patent** (10) **Patent No.:** **US D869,918 S**
Lewis (45) **Date of Patent:** **** Dec. 17, 2019**

(54) **WEED TRIMMER SAFETY ATTACHMENT**
(71) Applicant: **Dale Lewis, Scott, AR (US)**
(72) Inventor: **Dale Lewis, Scott, AR (US)**
(**) Term: **15 Years**
(21) Appl. No.: **29/636,033**
(22) Filed: **Feb. 5, 2018**
(51) **LOC (12) Cl.** **08-01**
(52) **U.S. Cl.**
USPC **D8/8**
(58) **Field of Classification Search**
USPC D8/7, 8, 9; D15/14, 17
CPC .. A01D 34/01; A01D 34/416; A01D 34/4161;
A01D 34/84; A01D 34/90; A01G 3/067;
A01G 3/06; A01G 3/062
See application file for complete search history.

6,226,876 B1 * 5/2001 Ezell A01D 34/4167
30/276
D463,230 S * 9/2002 Robson D8/8
6,757,980 B2 * 7/2004 Arsenault F16P 1/02
30/276
D519,336 S * 4/2006 Ono D8/8
9,050,736 B2 * 6/2015 Nobile B27B 17/00
2004/0031157 A1 * 2/2004 Arsenault F16P 1/02
30/276
2007/0089302 A1 * 4/2007 Paddock A01D 34/828
30/286
2010/0186240 A1 * 7/2010 Waugh A01D 34/828
30/286
2013/0326887 A1 * 12/2013 Swan A01D 34/4167
30/286

(Continued)

Primary Examiner — Sandra S Snapp
Assistant Examiner — Ieisha N Price

(57) **CLAIM**

The ornamental design for a weed trimmer safety attachment, as shown and described.

DESCRIPTION


FIG. 1 is a front top right isometric view of a weed trimmer safety attachment showing my new design;
FIG. 2 is a front top left isometric view thereof;
FIG. 3 is a front bottom left isometric view thereof;
FIG. 4 is a front bottom right isometric view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a left view thereof;
FIG. 8 is a right view thereof;
FIG. 9 is a bottom view thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a rear top right isometric view thereof;
FIG. 12 is a rear top left isometric view thereof;
FIG. 13 is a rear bottom left isometric view thereof; and,
FIG. 14 is a rear bottom right isometric view thereof.

1 Claim, 14 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,475,287 A * 10/1984 Beihoffer A01D 34/416
30/276
4,712,363 A * 12/1987 Claborn A01D 34/84
172/13
4,744,148 A * 5/1988 Brown A01D 34/833
30/276
D313,538 S * 1/1991 Fushiya D8/8
D339,145 S * 9/1993 Earley, Jr. D15/17
D342,425 S * 12/1993 Watanabe D8/8
5,524,349 A * 6/1996 Dolin A01D 34/4167
30/276
D373,712 S * 9/1996 Bridgers D8/8
D382,779 S * 8/1997 Meisner D8/8
D382,780 S * 8/1997 Meisner D8/8
D395,660 S * 6/1998 Soefje D15/17
5,806,294 A * 9/1998 Strieber A01B 1/065
126/271.1
6,052,976 A * 4/2000 Cellini A01D 34/4167
172/13



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0013542 A1* 1/2014 Wang A01D 34/824
16/429
2017/0222582 A1* 8/2017 Suzuki H02P 6/157

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14