



US00D870215S

(12) **United States Design Patent**  
**Ikoma et al.**

(10) **Patent No.:** **US D870,215 S**

(45) **Date of Patent:** **\*\* Dec. 17, 2019**

(54) **ROBOT TOY**

(71) Applicant: **TOMY COMPANY, LTD.**, Tokyo (JP)

(72) Inventors: **Akiko Ikoma**, Tokyo (JP); **Shu Katayama**, Tokyo (JP); **Mitsutoshi Tokuyama**, Tokyo (JP); **Shigeru Kanauchi**, Tokyo (JP); **Yu Funakoshi**, Tokyo (JP)

(73) Assignee: **TOMY COMPANY, LTD.**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/659,366**

(22) Filed: **Aug. 8, 2018**

(30) **Foreign Application Priority Data**

Feb. 23, 2018 (JP) ..... 2018-003727

(51) **LOC (12) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/615; D21/578**

(58) **Field of Classification Search**  
USPC ..... D6/598; D11/158, 162; D21/576–596, D21/604–605, 611–613, 615, 617–618, D21/621; 446/99, 268, 368–369, 376, 446/428, 487; 180/8.6; D30/160  
CPC ... A63H 3/00; A63H 3/02; A63H 3/04; A63H 3/16; A63H 3/28; A63H 3/36; A63H 7/06; A63H 11/00; A63H 11/10; A63H 11/20; A63H 11/205; A63H 13/00; A63H 33/04; A63H 33/08; A63H 33/042; A63H 23/10

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D286,901 S \* 11/1986 Ohno ..... D21/615  
D294,611 S \* 3/1988 Shinohara ..... D21/584

D301,353 S \* 5/1989 Matsuda ..... D21/615  
D478,362 S \* 8/2003 Nakase ..... D21/615  
D479,862 S \* 9/2003 Takahashi ..... D21/615  
D481,081 S \* 10/2003 Okutsu ..... D21/615  
D484,196 S \* 12/2003 Nakase ..... D21/615  
D510,963 S \* 10/2005 Nakase ..... D21/578  
D554,713 S \* 11/2007 Wong ..... D21/615  
D663,792 S \* 7/2012 Wong ..... D21/615  
D704,279 S \* 5/2014 Murayama ..... D21/578

\* cited by examiner

*Primary Examiner* — Sandra L Morris

(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for a robot toy, as shown and described.

**DESCRIPTION**

FIG. 1 is a right-side elevational view of the robot toy; FIG. 2 is a left-side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front, right-side, top perspective view thereof; FIG. 8 is a rear, left-side, bottom perspective view thereof; FIG. 9 is a front, right-side, top perspective view of a first alternate configuration thereof; FIG. 10 is a rear, left-side, bottom perspective view of the first alternate configuration; FIG. 11 is a front, right-side, top perspective view of a second alternate configuration thereof; and, FIG. 12 is a rear, left-side, bottom perspective view of the second alternate configuration.

**1 Claim, 12 Drawing Sheets**








FIG. 1






FIG. 2




FIG. 3






FIG. 4




FIG. 5






FIG. 6






FIG. 7






FIG. 8






FIG. 9






FIG. 10






FIG. 11






FIG. 12