

US00D870565S

(12) **United States Design Patent** (10) **Patent No.:** **US D870,565 S**
Sjödahl et al. (45) **Date of Patent:** **** Dec. 24, 2019**

(54) **CONTAINER FOR LIQUID**

Primary Examiner — Rhea Shields

(71) Applicant: **Ecolean AB**, Helsingborg (SE)

(57) **CLAIM**

(72) Inventors: **Martin Sjödahl**, Helsingborg (SE);
Jens Olofsson, Malmö (SE); **Johan Lindberg**, Helsingborg (SE)

The ornamental design for container for liquid, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **35/505,582**

1.1 is a perspective view of a design for a container for liquid, according to a first embodiment of the invention.

(22) Filed: **May 18, 2018**

1.2 is a front view of the design of **1.1**.

(80) **Hague Agreement Data**

Int. Filing Date: **May 18, 2018**

1.3 is a back view of the design of **1.1**.

Int. Reg. No.: **DM/102445**

1.4 is a right side view of the design of **1.1**.

Int. Reg. Date: **May 18, 2018**

1.5 is a left side view of the design of **1.1**.

Int. Reg. Pub. Date: **Aug. 31, 2018**

1.6 is a top view of the design of **1.1**.

(30) **Foreign Application Priority Data**

Nov. 20, 2017 (EM) 004513778

1.7 is a bottom view of the design of **1.1**.

(51) **LOC (12) Cl.** **09-05**

2.1 is a front view of a design for a container for liquid, according to a second embodiment of the invention.

(52) **U.S. Cl.**

USPC **D9/707**

2.2 is a back view of the design of **2.1**.

(58) **Field of Classification Search**

USPC D9/707, 708, 702, 704, 414-418;
D24/118

3.1 is a perspective view of a design for a container for liquid, according to a third embodiment of the invention.

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,974,732 A * 12/1990 Sullivan B65D 75/008
206/484
6,305,438 B1 * 10/2001 Sjolholm B65B 3/26
141/114

3.2 is a front view of the design of **3.1**.

3.3 is a back view of the design of **3.1**.

3.4 is a left side view of the design of **3.1**.

3.5 is a right side view of the design of **3.1**.

3.6 is a bottom view of the design of **3.1**.

3.7 is a top view of the design of **3.1**.

4.1 is a perspective view of a design for a container for liquid, according to a fourth embodiment of the invention.

4.2 is a front view of the design of **4.1**.

4.3 is a back view of the design of **4.1**.

4.4 is a left side view of the design of **4.1**.

4.5 is a right side view of the design of **4.1**.

4.6 is a top view of the design of **4.1**.

4.7 is a bottom view of the design of **4.1**.

5.1 is a perspective view of a design for a container for liquid, according to a fifth embodiment of the invention.

5.2 is a front view of the design of **5.1**.

5.3 is a back view of the design of **5.1**.

5.4 is a left side view of the design of **5.1**.

5.5 is a right side view of the design of **5.1**.

5.6 is a top view of the design of **5.1**.

5.7 is a bottom view of the design of **5.1**.


(Continued)

FOREIGN PATENT DOCUMENTS

EM 000155072-0001 6/2004
EM 000155072-0002 6/2004

(Continued)

(Continued)



6.1 is a front view of a design for a container for liquid, according to a sixth embodiment of the invention.
 6.2 is a back view of the design of 6.1.
 7.1 is a perspective view of a design for a container for liquid, according to a seventh embodiment of the invention.
 7.2 is a front view of the design of 7.1.
 7.3 is a back view of the design of 7.1.
 7.4 is a left side view of the design of 7.1.
 7.5 is a right side view of the design of 7.1.
 7.6 is a top view of the design of 7.1.
 7.7 is a bottom view of the design of 7.1.
 8.1 is a perspective view of a design for a container for liquid, according to an eighth embodiment of the invention.
 8.2 is a front view of the design of 8.1.
 8.3 is a back view of the design of 8.1.
 8.4 is a left side view of the design of 8.1.
 8.5 is a right side view of the design of 8.1.
 8.6 is a top view of the design of 8.1.
 8.7 is a bottom view of the design of 8.1.

D687,717 S * 8/2013 Ewart D9/707
 8,555,935 B2 * 10/2013 Gustafsson B65B 39/10
 141/10
 8,567,160 B2 * 10/2013 Gustafsson B65B 61/14
 53/134.1
 D700,066 S * 2/2014 Berman D9/707
 8,662,751 B2 * 3/2014 Forss B65D 75/563
 383/104
 D723,935 S * 3/2015 Short D9/704
 D734,165 S * 7/2015 Kearns D9/707
 D735,571 S * 8/2015 Futase D9/416
 D740,133 S * 10/2015 Murray D9/708
 D747,656 S * 1/2016 May D9/708
 D752,452 S * 3/2016 Kearns D24/118
 D758,179 S * 6/2016 Beck D9/415
 D784,803 S * 4/2017 Cataudella D9/415
 D785,449 S * 5/2017 Cataudella D9/415
 D785,461 S * 5/2017 Kessler, Jr. D9/702
 D793,865 S * 8/2017 Bentley D9/707
 D802,412 S * 11/2017 Cataudella D9/415
 D842,124 S * 3/2019 Nelson D9/708
 D843,849 S * 3/2019 McGuire D9/707

1 Claim, 46 Drawing Sheets

(58) **Field of Classification Search**

CPC B65D 75/008; B65D 75/563; B65B 61/14;
 B65B 39/10; B65B 3/26
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D548,612 S * 8/2007 Berman D9/708
 D607,343 S * 1/2010 Poirier D9/707

FOREIGN PATENT DOCUMENTS

EM 000409792-0001-0001 11/2005
 EM 000409792-0001-0002 11/2005
 EM 000409792-0001-0003 11/2005
 EM 000409792-0001-0004 11/2005
 EM 000964531-0001 7/2008
 EM 000964531-0002 7/2008
 EM 000964531-0003 7/2008
 EM 000964531-0004 7/2008

* cited by examiner

1.1




1.2




1.3




1.4




1.5



1.6



1.7



2.1



2.2



3.1




3.2




3.3




3.4



3.5



3.6



3.7



4.1




4.2




4.3




4.4




4.5



4.6



4.7



5.1




5.2




5.3




5.4




5.5



5.6



5.7



6.1



6.2



7.1



7.2



7.3



7.4



7.5



7.6



7.7



8.1




8.2




8.3




8.4



8.5



8.6



8.7

