



US00D870661S

(12) **United States Design Patent** (10) **Patent No.:** **US D870,661 S**  
**Virhiä et al.** (45) **Date of Patent:** **\*\* Dec. 24, 2019**

(54) **SENSOR VAULT CHARGER**  
(71) Applicant: **Zen-me Labs Oy**, Tampere (FI)  
(72) Inventors: **Toni Matti Virhiä**, Tampere (FI);  
**Harri Päiviö Koskinen**, Helsinki (FI);  
**Janne Petteri Rätty**, Helsinki (FI)  
(73) Assignee: **Zen-Me Labs Oy**, Tampere (FI)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/662,953**  
(22) Filed: **Sep. 11, 2018**  
(51) **LOC (12) Cl.** ..... **13-02**  
(52) **U.S. Cl.**  
USPC ..... **D13/108**  
(58) **Field of Classification Search**  
USPC ..... D13/107–110, 118–119, 184; D14/251,  
D14/253, 432, 434  
CPC ..... Y02E 60/12; Y02T 90/14; Y02T 90/122;  
Y02T 90/128; Y02T 90/163; H02J 7/025;  
H02J 7/0042; H02J 7/0044; H02J 7/0045;  
H02J 7/0003; H01F 38/14; H01R  
13/6675; H01M 2/1022; H01M 2/1055;  
H01M 10/44; H01M 10/46; H01M  
10/425; B60L 11/182  
See application file for complete search history.

D719,505 S \* 12/2014 Kim ..... D13/108  
D722,962 S \* 2/2015 Kim ..... D13/108  
D727,259 S \* 4/2015 Hwang ..... D13/108  
D730,359 S \* 5/2015 Fustino ..... D14/434  
D739,407 S \* 9/2015 Son ..... D14/434  
D754,599 S \* 4/2016 Yang ..... D13/108  
D782,976 S \* 4/2017 Zhang ..... D13/108  
D782,977 S \* 4/2017 Zhang ..... D13/108  
D784,258 S \* 4/2017 Vienna ..... D13/108  
D792,846 S \* 7/2017 Zheng ..... D13/110  
D812,556 S \* 3/2018 Xu ..... D13/103  
D844,006 S \* 3/2019 Molnar ..... D14/434  
D845,897 S \* 4/2019 Kim ..... D13/108  
D858,436 S \* 9/2019 Chen ..... D13/108  
2015/0188357 A1\* 7/2015 Chen ..... H01F 27/02  
320/108

\* cited by examiner

*Primary Examiner* — Rosemary K Tarcza  
(74) *Attorney, Agent, or Firm* — BelayIP

(57) **CLAIM**


The ornamental design of a sensor vault charger, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a sensor vault charger in accordance with the present invention.  
FIG. 2 is a left view thereof.  
FIG. 3 is a right view thereof.  
FIG. 4 is a front view thereof.  
FIG. 5 is a back view thereof.  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken lines shown in the drawings are for the purpose of illustrating portions of the sensor vault charger that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D434,142 S \* 11/2000 Cheney, II ..... D13/108  
D526,973 S \* 8/2006 Gates ..... D13/168  
D637,951 S \* 5/2011 Perez ..... D13/108  
D674,342 S \* 1/2013 Ho ..... D13/110  
D680,540 S \* 4/2013 Lee ..... D14/217






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7