



US00D870898S

(12) **United States Design Patent**
Sudell

(10) **Patent No.:** **US D870,898 S**

(45) **Date of Patent:** **** Dec. 24, 2019**

- (54) **PORTABLE TRACTION DEVICE**
- (71) Applicant: **THE NECK HAMMOCK, INC.**,
Wilmington, DE (US)
- (72) Inventor: **Steven Sudell**, Santa Monica, CA (US)
- (73) Assignee: **THE NECK HAMMOCK, INC.**,
Wilmington, DE (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/679,268**
- (22) Filed: **Feb. 4, 2019**

- D789,546 S * 6/2017 Matfus D24/190
- D790,072 S * 6/2017 Hiebert D24/191
- 9,930,882 B2 * 4/2018 Owen A01M 31/006
- D817,664 S * 5/2018 Kim D6/601
- D824,035 S * 7/2018 Sudell D24/191
- D845,492 S 4/2019 Sudell
- D845,493 S 4/2019 Sudell
- D845,494 S 4/2019 Sudell
- 2010/0222729 A1 * 9/2010 Chin A61F 5/04
602/32
- 2013/0005544 A1 * 1/2013 Butler A63B 7/02
482/139
- 2018/0042757 A1 * 2/2018 Sudell A61H 1/0218

* cited by examiner

Primary Examiner — Jennifer L Watkins

(74) *Attorney, Agent, or Firm* — Workman Nydegger

Related U.S. Application Data

- (60) Division of application No. 29/643,079, filed on Apr. 4, 2018, now Pat. No. Des. 845,493, which is a continuation-in-part of application No. 15/879,881, filed on Jan. 25, 2018, which is a continuation-in-part of application No. 15/600,901, filed on May 22, 2017.
- (51) **LOC (12) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/190**
- (58) **Field of Classification Search**
USPC D24/189–192; D21/662
CPC A61F 5/028; A61F 5/055; A61F 5/3738;
A61F 13/108; A61F 13/062
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D213,478 S * 3/1969 Nightingale D24/188
- D332,495 S * 1/1993 Lake D24/190
- 9,386,943 B2 * 7/2016 Strickland A61B 5/11
- 9,420,905 B2 * 8/2016 Willingham A47G 9/10
- 9,597,541 B2 * 3/2017 Hinds A63B 7/00

(57) **CLAIM**

The ornamental design for a portable traction device, as shown and described.

DESCRIPTION

FIG. 1 illustrates a top, right perspective view of a portable traction device incorporating a new design, the portable traction device shown configured for use without a user associated therewith;

FIG. 2 illustrates a front plan view thereof;

FIG. 3 illustrates a rear plan view thereof;

FIG. 4 illustrates a top elevation view thereof;


FIG. 5 illustrates a bottom elevation view thereof;

FIG. 6 illustrates a right side elevation view thereof; and,

FIG. 7 illustrates a left side elevation view thereof.

In the drawings, the broken lines depict stitching and portions of the portable traction device and form no part of the claimed design. The broken lines shown on the surface of the straps illustrated in FIGS. 1, 2, 6, and 7 depict portions of the straps and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7