



US00D870937S

(12) **United States Design Patent**
Wu

(10) **Patent No.:** **US D870,937 S**

(45) **Date of Patent:** **** Dec. 24, 2019**

(54) **VEHICLE LIGHT**

D535,409 S * 1/2007 Yamaguchi D26/28
D675,352 S * 1/2013 Ajojima D26/28
D677,813 S * 3/2013 Hanaoka D26/28

(71) Applicant: **COPLUS INC.**, Tainan (TW)

* cited by examiner

(72) Inventor: **Po-Hua Wu**, Tainan (TW)

Primary Examiner — Marcus A Jackson

(73) Assignee: **Coplus Inc.**, Tainan (TW)

(74) *Attorney, Agent, or Firm* — Lewis Roca Rothgerber
Christie LLP

(**) Term: **15 Years**

(21) Appl. No.: **29/666,697**

(22) Filed: **Oct. 15, 2018**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

Jul. 12, 2018 (TW) 107303985

The ornamental design for a vehicle light, as shown and described.

(51) **LOC (12) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

DESCRIPTION

(58) **Field of Classification Search**
USPC D26/28–36, 139
CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04; B60Q 9/13; B60Q 9/135;
B60Q 9/1375

FIG. 1 is a perspective view of the vehicle light;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view.

See application file for complete search history.


The broken lines in the drawings are for illustrative purpose only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D528,231 S * 9/2006 Ikeda D26/28
D528,686 S * 9/2006 Kato D26/28
D529,208 S * 9/2006 Ikeda D26/28

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7