



US00D871230S

(12) **United States Design Patent**
Zhang

(10) **Patent No.:** **US D871,230 S**

(45) **Date of Patent:** **** Dec. 31, 2019**

(54) **SPRAYER**

(71) Applicant: **Wenyang Zhang**, Guangdong (CN)

(72) Inventor: **Wenyang Zhang**, Guangdong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/633,523**

(22) Filed: **Jan. 15, 2018**

(51) **LOC (12) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/686**

(58) **Field of Classification Search**
USPC D9/682-694, 500-505, 715, 719,
D9/737-747, 723-729, 516-575,
D9/434-436, 443-450; D23/223, 225,
D23/226, 366
CPC .. B05B 11/00-3098; B65D 83/14-759; A45D
34/00; A45D 34/02; A45D 34/04; A45D
2034/002; A45D 2034/005; A45D
2034/007; A45D 2200/055; A45D
2200/056; A45D 2200/057
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D202,387 S *	9/1965	Wagner	D23/225
D208,735 S *	9/1967	Rahn et al.	D9/689
D223,437 S *	4/1972	Lluch	D9/504
D223,438 S *	4/1972	Lluch	D9/529
4,087,022 A *	5/1978	Zanetti-Streccia	B05B 11/3001 222/183
D263,807 S *	4/1982	Kingsford	D9/504
D379,589 S *	6/1997	Rhodes	D9/500
D604,180 S *	11/2009	Nevins	D9/689
D611,825 S *	3/2010	Usui	D9/529
D616,261 S *	5/2010	Lundstrom	D7/679
D634,416 S *	3/2011	Abbondanzio	D23/366

D649,456 S *	11/2011	Baker	D9/435
D649,466 S *	11/2011	Oates	D9/522
D680,879 S *	4/2013	Gershune	D9/689
D683,239 S *	5/2013	Broen	D9/689
D688,563 S *	8/2013	Cohen	D9/689
D691,253 S *	10/2013	Chen	D23/366
D697,815 S *	1/2014	Broen	D9/689
D698,660 S *	2/2014	Maas	D9/689
D777,296 S *	1/2017	Huang	D23/225
D779,124 S *	2/2017	Houyoux	D28/91.1
D787,948 S *	5/2017	Scott	D9/689
D831,184 S *	10/2018	Liang	D23/366
10,245,604 B2 *	4/2019	Foreman	B05B 9/002
2008/0078846 A1 *	4/2008	Tsai	B05B 11/3015 239/333

(Continued)

FOREIGN PATENT DOCUMENTS

CN	301163350	*	3/2010
CN	301576185	*	6/2011

(Continued)

Primary Examiner — Catherine A Tuttle


(57) **CLAIM**

The ornamental design for a sprayer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a sprayer showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof.
The broken lines shown in FIG. 6 are included for the purpose of illustrating the bottom surface portion that forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0140011 A1* 6/2009 Olson B05B 11/0059
222/380
2010/0078436 A1* 4/2010 Winchell B65D 1/04
220/504
2013/0112766 A1* 5/2013 Maas B65D 83/62
239/1
2015/0203279 A1* 7/2015 Falcon B65D 83/22
222/153.11
2016/0184848 A1* 6/2016 Foreman B05B 9/002
239/13

FOREIGN PATENT DOCUMENTS

CN 303417649 * 10/2015
CN 303457656 * 11/2015
CN 303939652 * 11/2016
CN 303990676 * 12/2016
JP D1546079 * 3/2016
KR 300460150.0001 * 8/2007
KR 300648050.0000 * 6/2012
KR 300697013.0000 * 6/2013
KR 300913675.0000 * 7/2017

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG.7