



US00D871390S

(12) **United States Design Patent** (10) **Patent No.:** **US D871,390 S**
M. et al. (45) **Date of Patent:** **** Dec. 31, 2019**

(54) **SERVER DEVICE WITH SEQUENTIAL LIGHT DISPLAY**

(74) *Attorney, Agent, or Firm* — McAndrews, Held & Malloy, Ltd.

(71) Applicant: **Dolby Laboratories Licensing Corporation**, San Francisco, CA (US)

(57) **CLAIM**

(72) Inventors: **Marcelo Traverso M.**, San Jose, CA (US); **Grayson H. Byrd**, San Francisco, CA (US); **Andrew Healy**, San Francisco, CA (US); **Gregory J. Long**, Santa Clara, CA (US); **Peter Michaelian**, Tappan, NY (US); **Cody Michael Proksa**, San Francisco, CA (US); **Erich Hubert Vogel**, Oakland, CA (US); **Vince Voron**, Menlo Park, CA (US)

The ornamental design for a server device with sequential light display, as shown and described.

DESCRIPTION

(73) Assignee: **DOLBY LABORATORIES LICENSING CORPORATION**, San Francisco, CA (US)

All disclosure and subject matter, including all figures, of U.S. Design patent application Ser. No. 29/586,410, filed concurrently with this application on Dec. 2, 2016, are specifically incorporated in this application as if set forth fully herein.

(**) Term: **15 Years**

The patent file contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

(21) Appl. No.: **29/586,419**

FIG. 1 is a front view of a first embodiment of a server device with sequential light display showing our new design at a first point in the sequence;

(22) Filed: **Dec. 2, 2016**

FIG. 2 is a front view thereof at a second point in the sequence;

(51) **LOC (12) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/313**

(58) **Field of Classification Search**
USPC D14/496, 137, 155, 169, 171, 172, 188,
D14/204, 210, 219, 301, 308, 313, 321,
D14/322, 327

FIG. 3 is a front view thereof at a third point in the sequence;
FIG. 4 is a front view thereof at a fourth point in the sequence;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D525,969 S *	8/2006	Sugihara	D14/301
D553,616 S *	10/2007	Tosh	D14/301
D558,194 S *	12/2007	Divine	D14/257
D564,510 S *	3/2008	Cox	D14/313
D585,440 S *	1/2009	Alfonso	D14/313
D585,441 S *	1/2009	Alfonso	D14/313

(Continued)

FIG. 5 is a front view thereof at a fifth point in the sequence;
FIG. 6 is a front view thereof at a sixth point in the sequence;
FIG. 7 is a front view thereof at a seventh point in the sequence;

FIG. 8 is a front view thereof at an eighth point in the sequence;

FIG. 9 is a front view of a second embodiment of a server device with sequential light display showing our new design at a first point in the sequence;

FIG. 10 is a front view thereof at a second point in the sequence;

FIG. 11 is a front view thereof at a third point in the sequence;

FIG. 12 is a front view thereof at a fourth point in the sequence;

Primary Examiner — R. Johnson

(Continued)



FIG. 13 is a front view thereof at a fifth point in the sequence;

FIG. 14 is a front view thereof at a sixth point in the sequence;

FIG. 15 is a front view thereof at a seventh point in the sequence;

FIG. 16 is a front view thereof at an eighth point in the sequence;

FIG. 17 is a front view thereof at a ninth point in the sequence; and,

FIG. 18 is a front view thereof at a tenth point in the sequence.

The dashed broken lines in the figures illustrate portions of the server device that form no part of the claimed design.

According to the first embodiment, the appearance of the light display sequentially transitions between the images shown in FIGS. 1-8. According to the second embodiment, the appearance of the light display sequentially transitions between the images shown in FIGS. 9-18.

The subject matter in this patent includes a process or period in which an image changes into another image. This process or period forms no part of the claimed design.

**1 Claim, 18 Drawing Sheets
(18 of 18 Drawing Sheet(s) Filed in Color)**

(58) **Field of Classification Search**

CPC . H04R 1/02; H04R 1/023; H04R 9/06; H04R 5/00; H03F 3/20; H03F 3/26; H03F 3/30; H03F 3/34; H03F 3/42; H03F 3/45; H03F 3/46; H04Q 1/028; H05K 7/18; H05K 7/1427; H05K 7/1485; H05K 7/1488; H05K 5/00; G10K 9/22; G06F 1/181; G06F 1/16

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D688,227	S	*	8/2013	Lee	D14/209.1
D761,247	S	*	7/2016	Otsuka	D14/313
D795,244	S	*	8/2017	Zimmermann	D14/313
D795,877	S	*	8/2017	Barron	D14/432

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18