



US00D871647S

(12) **United States Design Patent** (10) **Patent No.:** **US D871,647 S**
Gratton (45) **Date of Patent:** **** Dec. 31, 2019**

(54) **LIGHT FIXTURE**

OTHER PUBLICATIONS

(71) Applicant: **SWAROVSKI LIGHTING, LTD.**,
Plattsburgh, NY (US)

Gratton, Meredith, Design U.S. Appl. No. 29/648,557 entitled
“Light Fixture” filed May 22, 2018.

(72) Inventor: **Meredith Gratton**, Plattsburgh, NY
(US)

Primary Examiner — Darlington Ly
(74) *Attorney, Agent, or Firm* — Heslin Rothenberg
Farley & Mesiti P.C

(73) Assignee: **SWAROVSKI LIGHTING, LTD.**,
Plattsburgh, NY (US)

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a light fixture, as shown and
described.

(21) Appl. No.: **29/648,554**

DESCRIPTION

(22) Filed: **May 22, 2018**

Related U.S. Application Data

(62) Division of application No. 35/001,310, filed on Jan.
9, 2017 (U.S. filing date under 35 U.S.C. 384), and
having an international filing date of Jan. 9, 2017,
now Pat. No. Des. 844,882.

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/88**

(58) **Field of Classification Search**
USPC D26/72, 73, 81, 84, 88, 90, 118,
D26/127-137, 144
CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S
8/04; F21S 8/043; F21S 8/046; F21S
8/06; F21S 8/061; F21S 8/063; F21S
8/065; F21S 8/068
See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of the
light fixture of the present design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of a second embodiment of the
light fixture of the present design;
FIG. 9 is a front elevation view thereof;
FIG. 10 is a right side elevation view thereof;
FIG. 11 is a rear plan view thereof;
FIG. 12 is a left side elevation view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is a perspective view of a third embodiment of the
light fixture of the present design;
FIG. 16 is a front elevation view thereof;
FIG. 17 is a right side elevation view thereof;
FIG. 18 is a rear elevation view thereof;
FIG. 19 is a left side elevation view thereof;
FIG. 20 is a top plan view thereof; and,
FIG. 21 is a bottom plan view thereof.
The portions of the light fixture shown in broken lines form
no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,943,353 A * 3/1976 Tada F21V 5/06
362/404
D339,652 S * 9/1993 Segill D26/86
D574,545 S * 8/2008 Baldele D26/88

(Continued)

1 Claim, 21 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D584,446	S *	1/2009	Sabernig	D26/88
D592,789	S *	5/2009	Sabernig	D26/83
D593,702	S *	6/2009	Sabernig	D26/88
D595,891	S *	7/2009	Sabernig	D26/90
D596,781	S *	7/2009	Sabernig	D26/89
D614,341	S *	4/2010	Sabernig	D26/89
D614,794	S *	4/2010	Sabernig	D26/89
D633,245	S *	2/2011	Urquiola	D26/129
D633,246	S *	2/2011	Urquiola	D26/129
D650,123	S *	12/2011	Chen	D26/130
D650,124	S *	12/2011	Chen	D26/131
D650,125	S *	12/2011	Chen	D26/131
D665,523	S *	8/2012	Holder	D26/73
8,328,375	B2 *	12/2012	Diekmann	F21S 6/002 362/84
D683,886	S *	6/2013	Kim	D26/88
D700,736	S *	3/2014	Schuyler	D26/113
D705,482	S *	5/2014	Schuyler	D26/154
D730,559	S *	5/2015	Castelli	D26/80
D768,912	S *	10/2016	Wiedemer	D26/118
D777,365	S *	1/2017	Goorsenberg	D26/88
D835,332	S *	12/2018	Chiu	D26/110

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21