



US00D871655S

(12) **United States Design Patent**
Nadell et al.

(10) **Patent No.:** **US D871,655 S**
(45) **Date of Patent:** **** Dec. 31, 2019**

(54) **LIGHT FIXTURE**

(71) Applicant: **Troy-CSL Lighting, Inc.**, City of Industry, CA (US)

(72) Inventors: **Steve Nadell**, Long Beach, CA (US); **Rogelio Visda**, Pampanga (PH)

(73) Assignee: **Troy-CSL Lighting, Inc.**, City of Industry, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/633,374**

(22) Filed: **Jan. 12, 2018**

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**
USPC ... D26/72, 73, 81, 84, 88, 90, 118, 127-137
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D79,241 S * 8/1929 Rosenblatt D26/91
D79,242 S * 8/1929 Rosenblatt D26/91
(Continued)

OTHER PUBLICATIONS

Hudson Valley Lighting Group Haiku Chandelier <https://www.hvlgroup.com/Product/254-717> May 3, 2019 (Year: 2019).*

Primary Examiner — Leanne Was-Englehart
(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(57) **CLAIM**

We claim the ornamental design for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom perspective view of a light fixture, according to a first embodiment;

FIG. 2 is a front, top perspective view of a light fixture, according to the first embodiment;

FIG. 3 is a front side view of a light fixture, according to the first embodiment;

FIG. 4 is a left side view of a light fixture, according to the first embodiment;

FIG. 5 is a right side view of a light fixture, according to the first embodiment;

FIG. 6 is a top view of a light fixture, according to the first embodiment;

FIG. 7 is a bottom view of a light fixture, according to the first embodiment;

FIG. 8 is a front, bottom perspective view of a light fixture, according to a second embodiment;

FIG. 9 is a front, top perspective view of a light fixture, according to the second embodiment;

FIG. 10 is a front side view of a light fixture, according to the second embodiment;

FIG. 11 is a left side view of a light fixture, according to the second embodiment;

FIG. 12 is a right side view of a light fixture, according to the second embodiment;

FIG. 13 is a top view of a light fixture, according to the second embodiment;

FIG. 14 is a bottom view of a light fixture, according to the second embodiment;

FIG. 15 is a front, bottom perspective view of a light fixture, according to a third embodiment;

FIG. 16 is a front, top perspective view of a light fixture, according to the third embodiment;

FIG. 17 is a front side view of a light fixture, according to the third embodiment;

FIG. 18 is a left side view of a light fixture, according to the third embodiment;

FIG. 19 is a right side view of a light fixture, according to the third embodiment;

FIG. 20 is a top view of a light fixture, according to the third embodiment;

FIG. 21 is a bottom view of a light fixture, according to the third embodiment;

FIG. 22 is a front, bottom perspective view of a light fixture, according to a fourth embodiment;

(Continued)




FIG. 23 is a front, top perspective view of a light fixture, according to the fourth embodiment;
 FIG. 24 is a front side view of a light fixture, according to the fourth embodiment;
 FIG. 25 is a left side view of a light fixture, according to the fourth embodiment;
 FIG. 26 is a right side view of a light fixture, according to the fourth embodiment;
 FIG. 27 is a top view of a light fixture, according to the fourth embodiment;
 FIG. 28 is a bottom view of a light fixture, according to the fourth embodiment;
 FIG. 29 is a front, bottom perspective view of a light fixture, according to a fifth embodiment;
 FIG. 30 is a front, top perspective view of a light fixture, according to the fifth embodiment;
 FIG. 31 is a front side view of a light fixture, according to the fifth embodiment;
 FIG. 32 is a left side view of a light fixture, according to the fifth embodiment;
 FIG. 33 is a right side view of a light fixture, according to the fifth embodiment;
 FIG. 34 is a top view of a light fixture, according to the fifth embodiment;
 FIG. 35 is a bottom view of a light fixture, according to the fifth embodiment;
 FIG. 36 is a front, bottom perspective view of a light fixture, according to a sixth embodiment;
 FIG. 37 is a front, top perspective view of a light fixture, according to the sixth embodiment;
 FIG. 38 is a front side view of a light fixture, according to the sixth embodiment;
 FIG. 39 is a left side view of a light fixture, according to the sixth embodiment;
 FIG. 40 is a right side view of a light fixture, according to the sixth embodiment;
 FIG. 41 is a top view of a light fixture, according to the sixth embodiment;
 FIG. 42 is a bottom view of a light fixture, according to the sixth embodiment;
 FIG. 43 is a front, bottom perspective view of a light fixture, according to a seventh embodiment;
 FIG. 44 is a front, top perspective view of a light fixture, according to the seventh embodiment;
 FIG. 45 is a front side view of a light fixture, according to the seventh embodiment;
 FIG. 46 is a left side view of a light fixture, according to the seventh embodiment;
 FIG. 47 is a right side view of a light fixture, according to the seventh embodiment;
 FIG. 48 is a top view of a light fixture, according to the seventh embodiment;
 FIG. 49 is a bottom view of a light fixture, according to the seventh embodiment;
 FIG. 50 is a front, top perspective view of a light fixture, according to an eighth embodiment;
 FIG. 51 is a front, bottom perspective view of a light fixture, according to the eighth embodiment;
 FIG. 52 is a front side view of a light fixture, according to the eighth embodiment;
 FIG. 53 is a left side view of a light fixture, according to the eighth embodiment;

FIG. 54 is a right side view of a light fixture, according to the eighth embodiment;
 FIG. 55 is a top view of a light fixture, according to the eighth embodiment;
 FIG. 56 is a bottom view of a light fixture, according to the eighth embodiment;
 FIG. 57 is a front, bottom perspective view of a light fixture, according to a ninth embodiment;
 FIG. 58 is a front, top perspective view of a light fixture, according to the ninth embodiment;
 FIG. 59 is a front side view of a light fixture, according to the ninth embodiment;
 FIG. 60 is a left side view of a light fixture, according to the ninth embodiment;
 FIG. 61 is a right side view of a light fixture, according to the ninth embodiment;
 FIG. 62 is a top view of a light fixture, according to the ninth embodiment; and,
 FIG. 63 is a bottom view of a light fixture, according to the ninth embodiment.

The broken lines depict portions of the light fixture that form no part of the claimed design. The light fixture is shown with a symbolic break that represents the bounds of the Claim. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 58 Drawing Sheets

(58) **Field of Classification Search**

CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S 8/04; F21S 8/043; F21S 8/046; F21S 8/06; F21S 8/061; F21S 8/063; F21S 8/065; F21S 8/068

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D79,257	S	*	8/1929	Rosenblatt	D26/110
D80,492	S	*	2/1930	Rosenblatt	D26/91
D80,493	S	*	2/1930	Rosenblatt	D26/91
D80,494	S	*	2/1930	Rosenblatt	D26/91
D80,534	S	*	2/1930	Kramer	D26/90
D80,638	S	*	3/1930	Rosenblatt	D26/81
D80,715	S	*	3/1930	Zweig	D26/130
D80,827	S	*	4/1930	Beyer	D26/130
D80,911	S	*	4/1930	Rosenblatt	D26/91
D80,912	S	*	4/1930	Rosenblatt	D26/91
D81,892	S	*	8/1930	Rosenblatt	D26/91
D176,921	S	*	2/1956	Koepke	D11/117
D230,877	S	*	3/1974	Alberti	D26/11
D232,254	S	*	7/1974	Tongson et al.	D26/130
D246,267	S	*	11/1977	Baker	D26/129
D246,268	S	*	11/1977	Baker	D26/129
D246,269	S	*	11/1977	Baker	D26/129
D246,270	S	*	11/1977	Baker	D26/129
D655,034	S	*	2/2012	Meng-Suen	D26/118
D670,854	S	*	11/2012	Yang	D26/118
D671,672	S	*	11/2012	Thorsteinsson	D26/118
D697,662	S	*	1/2014	Patterson	D26/118
D700,993	S	*	3/2014	Schuyler	D26/120
D765,305	S	*	8/2016	Parkinson	D26/118
D825,095	S	*	8/2018	Wu	D26/118
D827,906	S	*	9/2018	Fuksas	D26/88

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10







Fig. 11

Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59




Fig. 60




Fig. 61




Fig. 62




Fig. 63